
F 755 G4M3

MARSHALL

RESULTS OF SPIRIT LEVELING IN IDAHO

The Bancroft Library

University Library
University of California · Berkeley





DEPARTMENT OF THE INTERIOR UNITED STATES GEOLOGICAL SURVEY

GEORGE OTIS SMITH, DIRECTOR

BULLETIN 487


RESULTS OF SPIRIT LEVELING IN IDAHO

1896 TO 1909, INCLUSIVE

Digitized by the Internet Archive in 2007 with funding from R. B. MARSHALL, CHIEF GEOGRAPHER Microsoft Corporation



WASHINGTON
GOVERNMENT PRINTING OFFICE
1911



DEPARTMENT OF THE INTERIOR UNITED STATES GEOLOGICAL SURVEY

GEORGE OTIS SMITH, DIRECTOR

BULLETIN 487

RESULTS OF SPIRIT LEVELING IN IDAHO

1896 TO 1909, INCLUSIVE

R. B. | MARSHALL, CHIEF GEOGRAPHER



WASHINGTON
GOVERNMENT PRINTING OFFICE
1911




104762

F755 G4M3

CONTENTS.

	Page.
Introduction	5
Scope of the work	5
Personnel	5
Classification	5
Bench marks	6
Datum	6
Topographic maps	7
Precise leveling	7
Birch Creek and Weiser quadrangles (Canyon and Washington counties)	7
Primary leveling	8
Cambridge, Meadows, Squaw Creek, and Weiser quadrangles (Boise and	
Washington counties)	8
St. Anthony and Victor quadrangles (Bingham and Fremont counties)	15
Montpelier, Pocatello, Soda Springs, and Wayan quadrangles (Bannock and	
Bear Lake counties)	16
Hailey, Picabo, Sawtooth, and Soldier quadrangles (Blaine County)	20
Chatcolet Station, Kendrick, and Pullman quadrangles (Kootenai and	
Latah counties)	22
Cataldo and Rathdrum 30' quadrangles and Cour d'Alene special	
quadrangle (Kootenai and Shoshone counties)	23
Bonners Ferry, Calispell, Pend Oreille, and Sandpoint quadrangles (Bonner	
and Kootenai counties).	37
Priest Lake quadrangle (Kootenai County).	40
Index	45
,	
ILLUSTRATION.	

						Page.
PLATE 1	. Geo	logical	Survey	bench	marks	5





GEOLOGICAL SURVEY BENCH MARKS.

A, Tablet used in cooperating States. The State name is inserted at G. B and D. Copper temporary bench mark, consisting of a nail and copper washer. A, C, and E. Tablets for stone or concrete structures. F, Iron post used where there is no rock.

RESULTS OF SPIRIT LEVELING IN IDAHO, 1896 TO 1909, INCLUSIVE.

R. B. Marshall, Chief Geographer.

INTRODUCTION.

Scope of the work.—All results of spirit leveling in Idaho previously published by the United States Geological Survey and all results of later work in the State are included in this report, rearranged by quadrangles. Most of the elevations are based on the precise-level line of the United States Coast and Geodetic Survey from Seattle, Wash., via Pocatello, Idaho, to Evanston, Wyo., from the preliminary adjustment by that bureau in 1911.

Personnel.—The field work previous to 1903 was done under the general direction of R. U. Goode, geographer; that for 1903 to 1906, inclusive, under E. M. Douglas, geographer; that for 1907 under R. B. Marshall, geographer; and the later work under T. G. Gerdine, geographer, under the general direction of R. B. Marshall, chief geographer. Credit is given to the different levelmen in the introduction to each list. The office work of computation, adjustment, and preparation of lists was done mainly by S. S. Gannett, geographer, and D. H. Baldwin, topographer, and since 1907 under the general directions.

tion of E. M. Douglas, geographer.

Classification.—The elevations are classified as precise or primary, according to the methods employed in their determination. For precise lines instruments and rods of the highest grade are used, each line is run in both forward and backward directions, and every precaution is taken to guard against error. The allowable divergence between the forward and the backward lines in feet is represented by the formula $0.017\sqrt{D}$, in which D is the distance in miles between bench marks. For primary lines standard Y levels are used; lines are run in circuits or are closed on precise lines, with an allowable closing error in feet represented by the formula $0.05\sqrt{D}$, in which D is the length of the circuit in miles, sufficient care being given the work to maintain this standard. For levels of both classes careful office adjustments are made, the small outstanding errors being distributed over the lines.

Bench marks.—The standard bench marks are of two forms. The first form is a circular bronze or aluminum tablet (C and E. Pl. I). 3½ inches in diameter and one-fourth inch thick, having a 3-inch stem. which is cemented in a drill hole in solid rock, in the wall of some public building, in a bridge abutment, or in other substantial masonry structure. The second form (F, Pl. I), employed where masonry or rock is not accessible, consists of a hollow wrought-iron post 31 inches in outer diameter and 4 feet in length after being split at the bottom and expanded to 10 inches in order to give a firm bearing on the earth. A bronze or aluminum-bronze cap is riveted over the top of the post. which is set about 3 feet in the ground. A third style of bench mark with abbreviated lettering (B and D, Pl. I) is used for unimportant points. This consists of a special copper nail 11 inches in length driven through a copper washer seven-eighths of an inch in diameter.

The tablets, as well as the caps on the iron posts, are appropriately lettered, and for cooperating States the fact of such cooperation is indicated by the addition of the State name (G, Pl. I). The numbers stamped on the bench marks described in the following pages represent the elevations to the nearest foot as determined by the levelman. These numbers are stamped with $\frac{3}{16}$ -inch steel dies on the tablets or post caps, to the left of the word "feet." The office adjustment of the notes and the reduction to mean sea-level datum may so change some of the figures that the original markings are 1 or 2 feet in error. It is assumed that engineers and others who have occasion to use the bench-mark elevations will apply to the Director of the United States Geological Survey, at Washington, D. C., for the adjusted values, and

will use the markings as identification numbers only.

Datum.—All United States Geological Survey elevations are referred to mean sea level, which is the level that the sea would assume if the influence of winds and tides were eliminated. This level is not the elevation determined from the mean of the highest and the lowest tides. nor is it the half sum of the mean of all the high tides and of the mean of all the low tides, which is called half-tide level. Mean sea level is the average height of the water, all stages of the tide being considered. It is determined from observations made by means of tidal gages placed at stations where local conditions, such as long, narrow bays, rivers, and like features, will not affect the height of the water. To obtain even approximately correct results these observations must extend over at least one lunar month, and if great accuracy is desired they must extend over several years. At ocean stations half-tide level and mean sea level usually differ but little. It is assumed that there is no difference between the mean sea level as determined from observations in the Atlantic Ocean, the Gulf of Mexico, or the Pacific Ocean.

The connection with tidal stations for bench marks in certain areas that lie at some distance from the sea coast is still uncertain, and this fact is indicated by the addition of a letter or a word to the right of the word "Datum" on tablets or posts. For such areas corrections of published results will be made from time to time as the precise-level lines of the United States Geological Survey or other Government organizations are extended.

Topographic maps.—Maps of the following quadrangles wholly or partly in Idaho have been published by the United States Geological Survey up to August 1, 1911. They may be obtained, except as noted, for 5 cents each or \$3 a hundred, on application to the Director of the Survey at Washington, D. C.

Bear Valley.
Bisuka.
Boise.
Camas Prairie.
Cœur d'Alene special (Idaho-Montana)
(10 cents).
Garden Valley.
Hailey.
Hamilton (Montana-Idaho).
Idaho Basin.
Meadows.

Mitchell Butte (Oregon-Idaho).

Mountain Home.
Nampa (Idaho-Oregon).
Oakesdale (Washington-Idaho).
Pullman (Idaho-Washington).
Rathdrum.
Rocky Bar.
Sandpoint.
Sawtooth.
Silver City.
Spokane (Washington-Idaho).
Squaw Creek.
Weiser (Idaho-Oregon).

PRECISE LEVELING.

Birch Creek and Weiser quadrangles.

CANYON AND WASHINGTON COUNTIES.

The elevations in the following list are results of a line of precise leveling begun at Huntington, Oreg., and run southeast along the Oregon Short Line Railroad in Idaho to Ontario, Oreg. This line was redetermined by the Coast and Geodetic Survey, being part of its transcontinental line of precise leveling, and was corrected to accord with the heights obtained by the preliminary 1911 adjustment.

The double simultaneous method of leveling was employed, using a Van Orden type of precise level and special rods.

The leveling was done in 1903 by C. H. Semper. For results along this line in Oregon see Bulletin 462.

BIRCH CREEK QUADRANGLE.

Point near Huntington, Oreg., south along Oregon Short Line Railroad to Eaton, Idaho.

Huntington, 5.2 miles east of, on north side of railroad, at first telegraph pole west of milepost 536, 8 feet from fence; iron post stamped "2069 H". 2,076.919 Huntington, 8.1 miles east of, between track and milepost 533, 18 feet east of track; iron post stamped "2070 H". 2,077.363 Old's Ferry, 2.2 miles east of, on north side of railroad, 70 feet west of seventh telegraph pole east of milepost 530, 10 feet north of track; iron post stamped "2086 H". 2,093.395

Old's Ferry, 5.2 miles east of, on north side of railroad, 15 feet east of fifth	
telegraph pole east of milepost 527, 10 feet north of track; iron post stamped "2087 H"	Feet. 2, 094, 325
Eaton, at road crossing; top of rail	2, 104.0
Eaton, 0.3 mile southeast of, at mile post 524, on west side of track, at fence	
line; iron post stamped "2097 H"	2, 104. 291
WEISER QUADRANGLE.	
Eaton along Oregon Short Line Railroad to point 2.2 miles south of Payette.	
Eaton, 3.2 miles southeast of, first telegraph pole west of milepost 521, at	
fence line; iron post stamped "2122 H"	2, 129. 792
Weiser, 13.6 feet west of new station, 41.3 feet north of track, just inside of	
park, on fence line; iron post stamped "2107 H"	2, 115, 833
Weiser, in front of station; top of rail. Weiser, 3.3 miles south of, 4 feet north of milepost 515, west of track; iron	2, 113. 8
post stamped "2113 H"	2 120 494
Weiser, 6.3 miles south of, first telegraph pole south of milepost 512, at fence	2, 120. 101
line, west of track; iron post stamped "2112 H"	2, 119. 775
Crystal, in front of station sign; top of rail	2, 122. 9
Crystal, 2.6 miles south of, west of track, first telegraph pole north of mile-	
post 509, at fence line; iron post stamped "2123 H"	2, 130. 752
Payette, 0.9 mile north of, west of track, at fence line, 27 feet south of mile-	0 140 000
post 506; iron post stamped "2139 H"	
Payette, 2.2 miles south of, 285 feet south of milepost 503, 10 feet east of	4, 147.2
track; iron post stamped "2139 H"	2, 147, 104
	-,

PRIMARY LEVELING.

Cambridge, Meadows, Squaw Creek, and Weiser quadrangles. BOISE AND WASHINGTON COUNTIES.

The elevations in the following list are based on the preliminary 1911 adjusted elevation of Bench Mark G₆ of the Coast and Geodetic Survey at Weiser, Idaho, on the transcontinental line of precise levels.

The leveling in the Squaw Creek quadrangle was done by D. A. Maxwell in 1907, and that in the other quadrangles by Maxwell and J. G. Hefty in the same year. A check line was run in the Weiser quadrangle in 1908 by W. B. Jones.

WEISER QUADRANGLE.

Weiser along Pacific & Idaho Northern Railway east 11.7 miles (checked line), thence north to Midvale (mean of direct and reverse lines).

¹ The corner of building is cracked from settling, just above the bench mark. The Coast and Geodetic Survey elevation of 2,118.234 feet was therefore not accepted.

Weiser, 2 miles east of, 10 feet south of track, in foot of milepost 2; spike head flush with ground	
Weiser, 3.8 miles east of, 50 feet north of track, at edge of right of way, oppo-	0 100 405
site milepost 4; iron post stamped "2136 W"	
Weiser, 5.8 miles east of, south side of track, in foot of milepost 6; spike	
Weiser, 6.8 miles east of, 50 feet north of track, at edge of right of way,	2, 100.00
opposite milepost 7, 30 feet east of wagon road crossing railroad at right	
angles, about 300 feet north of large yellow house; iron post stamped	
"2167 W"	2. 167. 278
Weiser, 9.8 miles east of, 50 feet north of track, opposite milepost 10, at	-, -0,
mouth of Weiser River Canyon, 1,000 feet southeast of unused smelter,	
in outcropping bowlder; aluminum tablet stamped "2210 W"	2, 210. 517
Weiser, 10.8 miles east of, 10 feet south of track, in foot of milepost 11;	
spike	2, 215. 92
Weiser, 12.9 miles northeast of, 9 feet west of track, 165 feet north of mile-	
post 13, at foot of low retaining wall along upper side of grade, 100 feet	
from river, in top of large flat basalt bowlder on east side of rocky bluff,	
1,800 feet south of mouth of large stream from east; aluminum tablet	
stamped "2249 W"	2, 250. 256
Weiser, 15.9 miles northeast of, opposite milepost 16, 40 feet south of track,	
near mound of rocks, in large basaltic bowlder; aluminum tablet stamped	
"2275 W"	2, 275. 217
Weiser, 19 miles northeast of, 600 feet north of milepost 19, north side of dry	
gulch, 50 feet west of track, on point of knoll, in volcanic bowlder along-	0.000 450
side mound of rocks; aluminum tablet stamped "2338 W"	2, 338. 400
Thousand Spring Creek, 10 feet west of track, in large volcanic bowlder;	
aluminum tablet stamped "2373 W"	9 272 121
Midvale, 8.5 miles south of, east side of track, in foot of milepost 23; spike	
Midvale, 6.5 miles south of, at sharp curve in track, 18 feet northeast of	2, 000. 20
milepost 25, 24 feet east of track, between track and river, near mound	
of rocks, in top of large bowlder; aluminum tablet stamped "2454 W"	2, 454, 751
Midvale, 4.5 miles south of, east side of track, in base of milepost 27; spike.	
Diamond Springs, in front of section house; top of rail	
Midvale, 3.5 miles south of, 85 feet north of milepost 28, 14 feet east of	
track, beside a cairn of rock, top of volcanic bowlder; aluminum tablet	
stamped "2514 W".	2, 514. 811
Midvale, 1. 5 miles south of, 45 feet west of track, in base of telegraph pole	
(milepost 30); spike	2, 528. 32
Midvale, 0.5 mile south of, 45 feet west of track, in foot of telegraph pole	
(milepost 31); spike.	2, 533. 11
Midvale, cement block building occupied by Bank of Washington County,	
at outer entrance, on south side and inner face of entrance, about 4.5 feet	0 544 040
above floor; aluminum tablet stamped "2544 W"	2, 544. 643
Midvale east along road to J. R. McMahan's ranch.	
Midvale, 3.5 miles east of, on Midvale-Indian Valley road, 1,000 feet east	
of Richard Gaber's ranch house, 80 feet south of road and 40 feet south of	
wire fence in field, in volcanic bowlder, near mound of rock; aluminum	
tablet stamped "2724 W"	2, 726. 181
Midvale, 7 miles east of, on Indian Valley-Midvale road, 10 feet south of	
road, in base of fencepost: 30-penny nail, aluminum tag	3, 210, 91

T. 13 N., R. 2 W., sec. 21, 10.7 miles west of Indian Valley-Midvale crossroads	
1,000 feet east of ranch, 40 feet south of road, mound of rocks in top	Reet.
of volcanic bowlder; aluminum tablet stamped "3292" W"	3, 293, 930
T. 13 N., R. 2 W., secs. 23 and 24, 7.2 miles west of Indian Valley-Midvale	
crossroads, 40 feet south of county road, at J. R. McMahan's ranch, 200 feet north of house, in volcanic bowlder; aluminum tablet stamped	
"3245 W"	3 246 780
	0, 240. 700
CAMBRIDGE QUADRANGLE.	
Midvale northeast along Pacific & Idaho Northern Railway to milepost 56.	
Midvale, 3.2 miles north of, 9 feet north of telegraph milepost 35, 40 feet	
west of tract, 10 feet above and 40 feet north of small creek; iron post	
stamped "2587 W"	2, 587. 267
of tract; point on large bowlder	2 500 46
Trestle 30, northeast corner; bolt head marked with chiseled cross (+)	2, 596, 82
Midvale, 6.2 miles north of, 80 feet north of milepost 38, west side of track,	_, -,
in face of large volcanic bowlder; aluminum tablet stamped "2620 W"	2, 620. 783
Midvale, 7.2 miles north of, 140 feet west of trestle 32, 450 feet south of mile-	
post 39, on slope of rock; chisel mark on rock	2, 623. 35
Cambridge, 70 feet north of station, at edge of right of way, corner of lot on south side of central boulevard, at edge of sidewalk; iron post stamped	
"2651 W"	2. 651. 347
Cambridge, 3.8 miles north of, 1,800 feet north of milepost 44, at short rock	2, 001. 01.
cut near end of long low spur from main ridge to west, 20 feet west of track,	
top of bank 8 feet above level of track, in outcropping rock; aluminum	
tablet stamped "2700 W"	2, 699. 919
Cambridge, 6.5 miles north of, 600 feet north of trestle 42 across small creek, at point of hill, 10 feet west of track, in cap of box culvert; drift bolt	
marked with chiseled cross	2, 718, 35
Cambridge, 7.5 miles north of, 1.5 miles south of Goodrich Creek, 120 feet	,
east of telegraph pole marked "48 miles," 40 feet west of track, on vol-	
canic bowlder 2.5 by 2.5 by 1 foot, near mound of rocks; aluminum tablet	0 20 00
stamped "2736 W"	2, 735. 997
track in root of lone leaning cottonwood tree in field; nail	2, 736, 31
Council, 8.5 miles south of, 100 feet south of railroad bridge 47 across Weiser	2,730.02
River, 20 feet west of track, in cement at surface of ground; aluminum	
tablet stamped "2782 W"	2, 782. 399
Council, 5.5 miles south of, 300 feet south of road crossing, 100 feet west of	0 010 05
track; point on large bowlder	2, 819. 25
100 feet west of trestle 49, in face of solid rock wall 20 feet high, 5 feet	
above ground, in cement wall flush with surface; aluminum tablet	
stamped "2860 W"	2, 859. 926
Bench marks established along Indian Valley-Van Wyck road, near Van Wyck.	
T. 14 N., R. 2 E., in sec. 25, on Indian Valley road, Lookout Mountain, in	
volcanic bowlder; aluminum tablet stamped "7811 W"	7, 812. 485
Van Wyck, 7.8 miles west of, in saddle 10 feet south of Van Wyck and In-	
dian Valley road, in pine tree; 30-penny nail	7, 379. 369
Van Wyck, 8.9 miles west of, on Van Wyck-Indian Valley road, 30 feet	7 000 110
south of, in pine tree; 30-penny nail with aluminum tag	7, 020. 118
east of, in pine tree; nail	6, 565. 49
, 1	

Van Wyck, 10.8 miles west of, near center of sec. 34, T. 14 N., R. 2 E., 30 feet north of Van Wyck-Indian Valley road, 150 feet south of Sheep Creek, in top of volcanic bowlder; aluminum tablet stamped "6210 W"	Feet. 6, 211. 754
MEADOWS QUADRANGLE.	
Milepost 56 north along Pacific & Idaho Northern Railway to triangulation station 2 miles north of Council.	
Council, 4 miles south of, 10 feet east of track, in base of milepost 56; spike. Council, 2.5 miles south of, sec. 27, T. 16 N., R. 1 W., county road crossing, just north of Cottonwood Creek, 25 feet east of track, east of crossing	2, 916. 29
signpost; iron post stamped "2939 W"	
"2910 W"Council, in front of station; top of rail	2, 911. 164 2, 913. 9
Triangulation station 2 miles north of Council east along road to crossroads in T. 17 N., R. 3 E., thence northwest along road to Meadows, thence southwest to point near Council.	
Council, 2.8 miles north of, on line between secs. 34 and 35, T. 17 N., R. 1 W., intersection of Council-Meadows and Mill Creek roads, 300 feet northeast of ranch house, west edge of road near fence; iron post stamped "3015 W"	3, 015, 880
Council, 6.2 miles northeast of, 1,000 feet east of line between secs. 31 and 32, T. 17 N., R. 1 E., at August Baurer's sawmill, between house and sawmill, south side of road, 100 feet north of Mill Creek, in top of large bowlder; aluminum tablet stamped "4023 W"	
Council, 7.8 miles east of, in fir tree 15 feet north of road; 20-penny spike Council, 9.6 miles northeast of, near southwest corner of sec. 22, T. 17 N., R. 1 E., intersection of roads in saddle, 50 feet east of forks, 10 feet north	
of road, in volcanic bowlder; aluminum tablet stamped "5612 W" Council, 10.1 miles northeast of, in base of pine tree 5 feet south of road;	
spike	6, 036. 48
aluminum tablet stamped "6208 W"	
spike	
road; nail	6, 306. 59
20-penny spike	,
Mill Creek Summit, 4.5 miles east of, in tamarack tree 15 feet west of road;	6, 265. 44
Mill Creek Summit, 5.4 miles northeast of, in pine tree 20 feet north of road;	6, 399. 06
Mill Creek Summit, 6.6 miles east of, in base of fir tree 5 feet northeast of road: nail	6, 527. 29

T. 17 N., R. 2 E., NW. 4 sec. 27, 120 feet east of road, mound of rocks, Feet.
in saddle, in volcanic rock; aluminum tablet stamped "6521 W" 6, 522. 635
Long Valley Summit, 0.9 mile east of, in fir tree 10 feet west of road; nail. 5, 976. 98
Long Valley Summit, 1.4 miles east of, in fir tree 10 feet east of road; nail. 5, 534.749
Long Valley Summit, 2.4 miles east of, in fir tree 10 feet north of road; nail. 5, 006. 399
Long Valley Summit, 3.9 miles east of, SW. 4 sec. 19, T. 17 N., R. 3 E.,
junction of Long Valley and Mill Creek roads, northeast corner of James
Hartsel's fence, 1,700 feet east of house, 175 feet west of Payette River,
1,320 feet northeast of section corner; iron post stamped "4837 W" 4,838.393
Long Valley Summit, 5.3 miles east of, corner of secs. 18, 19, 29, and 30, T.
17 N., R. 3 E., in base of southeast corner fence post, at crossroads;
nail with aluminum tag
Long Valley Summit, 8.3 miles east of, sec. 22, T. 17 N., R. 3 E., 500 feet
south of log house, 5 feet north of road, at southeast corner of fence; iron
post stamped "4897 W"
Long Valley Summit, 12.2 miles northeast of, in sec. 33, T. 18 N., R. 3 E.,
50 feet southeast of road, in Sam Shaw's field, about 1,200 feet north of
Tom Yount's house, 1,600 feet east of Gabriel Maenpad's house, in top of
granite bowlder; aluminum tablet stamped "5029 W"
Long Valley Summit, 14.2 miles northeast of, in base of pine tree 10 feet
west of road; nail
Long Valley Summit, 14.9 miles northeast of, in pine tree 10 feet west of
road; nail
Old Lardo, sec. 9, T. 18 N., R. 3 E., 16.4 miles northeast of Long Valley
Summit, south end of Payette Lake, 500 feet south of McCall Hotel, 200
feet north of sawmill, 20 feet south of road, in top of volcanic bowlder,
near mound of rocks; aluminum tablet stamped "5030 W" 5, 030.771
Old Lardo, in front of McCall Hotel; high-water mark
Old Lardo; surface of water, Payette Lake, July 30, 1907
Lardo, 400 feet east of post office, in sec. 8, T. 18 N., R. 3 E., 17.5 miles
northeast of Long Valley Summit, 100 feet south of Payette Lake, 50 feet
south of Lardo-Roseberry road, in granite bowlder; aluminum tablet
stamped "5001 W"
Lardo, 1 mile west of, on Lardo-Meadows stage road, in yellow pine tree 25
feet south of road; nail
Lardo, 2 miles west of, on Lardo-Meadows stage road, in pine tree 20 feet
west of road; nail. 5, 180.76
Lardo, 2.5 miles west of, sec. 1, T. 18 N., R. 2 E., on Lardo-Meadows stage
road, on Payette River and Salmon Creek divide, about 80 feet north of
road, 20 feet above road, in top of granite bowlder; aluminum tablet
stamped "5352 W"
Lardo, 3.7 miles west of, on Lardo-Meadows stage road, in black pine tree
south of road; nail
Lardo, 4.8 miles west of, on Lardo-Meadows stage road, in pine tree east of
road; nail
Lardo, 5.8 miles west of, near center of sec. 34, T. 19 N., R. 2 E., on Lardo-
Meadows stage road, on Meadows Summit, in saddle 70 feet north of road,
in top of granite bowlder; aluminum tablet stamped "5093 W" 5,093.695
Lardo, 6.4 miles west of, on Lardo-Meadows stage road, in fir tree east of
road; nail
Lardo, 7 miles west of, on Lardo-Meadows stage road, in pine tree north of
road; nail
Meadows, south side of main street of town, north edge of sidewalk, north-
east corner of porch at Meadows Hotel; iron post stamped "3975 W" 3, 976. 185

Meadows, 3.3 miles west of, on line between secs. 14 and 23, T. 19 N., R. 1 E., on Council-Meadows stage road, 0.4 mile west of Little Salmon River, 100 feet north of road, 800 feet northeast of sawmill, in rock beside Feet.
mound of rocks; aluminum tablet stamped "3964 W"
Meadows, 4.4 miles west of, in pine tree 10 feet south of Council-Meadows
road; nail
Meadows, 6.9 miles west of, sec. 17, T. 19 N., R. 1 E., on Council-Meadows
stage road, at north end of Price Valley, on summit between Little Sal-
mon and Weiser rivers, 100 feet east of road, in top of volcanic rock near
mound of rocks; aluminum tablet stamped "4186 W"
Meadows, 7.7 miles southwest of, in pine tree 15 feet west of Council-Mead-
ows stage road; nail
Meadows, 9.9 miles southwest of, in pine tree 50 feet west of Council-Mead-
ows stage road; nail
Meadows, 10.5 miles southwest of, in sec. 31, T. 19 N., R. 1 E., on Council-
Meadows stage road, 1 mile south of Price Valley, 60 feet west of road, 50
feet north of small creek, at old sawmill site, in volcanic rock; aluminum
tablet stamped "4089 W"
Meadows, 12.5 miles southwest of, in pine tree 60 feet west of Council-
Meadows stage road; nail
Meadows, 13.8 miles southwest of, 100 feet east of railroad grade, 200 feet
east of Weiser River, in fir tree; nail
Evergreen, at terminal of Pacific & Idaho Northern Railway, in north part of sec. 30, T. 18 N., R. 1 E., 150 east of track, 200 feet directly east of Record Commercial Co. store, in top of volcanic bowlder; aluminum
tablet stamped "3704 W"
Evergreen, 4.8 miles southwest of, sec. 2, T. 18 N., R. 1 W., 600 feet north
of old sawmill, 300 feet north of track, at brow of hill, 200 feet northwest
of log house, in volcanic bowlder near mound of rocks; aluminum tablet
stamped "3302 W"
Starkey (Hot Springs), in front of station; top of rail
Starkey (Hot Springs), sec. 34, T. 18 N., R. 1 W., 100 feet southeast of station, 80 feet south of track, in top of volcanic bowlder; aluminum tablet
stamped "3172 W"
west of milepost 66, 400 feet south of house, 100 feet west of railway cut,
in top of volcanic bowlder near mound of rocks; aluminum tablet stamped
"3065 W"
Crossroads in T. 17 N., R. 3 E., south along road via Roseberry to Van Wyck, thence west 11.7 miles.
T. 17 N., R. 3 E., on line between secs. 23 and 26, 2.6 miles southeast of
Lake Fork bridge, on Roseberry-Lardo stage road, 50 feet southeast of
bridge across irrigation ditch 40 feet south of road; iron post stamped "4905 W"
Roseberry, near corner of secs. 11, 12, 13, and 14, T. 16 N., R. 3 E., in
schoolhouse yard opposite post office; iron post stamped "4871 W" 4, 872. 034
Tps. 15 and 16 N., R. 3 E., corner of secs. 1, 2, 35, and 36, on Roseberry-
Van Wyck stage road, northwest corner of schoolhouse yard, 300 feet
southeast of Mr. Moore's house, 360 feet west of log house, in granite
bowlder; aluminum tablet stamped "4874 W":

Roseberry, 7.8 miles south of, near southwest corner of sec. 14, T. 15 N., R. 3 E., on Roseberry-Van Wyck stage road, 300 feet southwest of Joe Downing's house, 150 feet north of Dry Branch, 50 feet east of road, in volcanic bowlder; aluminum tablet stamped "4822 W"	4, 802. 900 4, 778. 103 4, 910. 875 5, 724. 41
Van Wyck, 6.8 miles west of, 20 feet north of Van Wyck-Indian Valley road, in fir tree; nail	
Van Wyck east 3.7 miles to Norris ranch.	
Crawford, 1.8 miles east of Van Wyck, northeast corner of W. D. Patterson's yard, opposite post office, 100 feet from main street of town, in top of granite bowlder; aluminum tablet stamped "4759 W"	
"4811 W"	4, 812. 608
North along Indian Valley, Midvale, and Council roads to point near Indian Valley.	
T. 14 N., R. 1 W., on line between secs. 26 and 35, on Van Wyck, Midvale, and Indian Valley road, at Hillsdale crossroads, 150 feet east of white schoolhouse, at northwest corner of fence, 30 feet east of road, in volcanic	
bowlder near mound of rocks; aluminum tablet stamped "3164 W" Van Wyck, 34.4 miles northwest of, on Van Wyck, Midvale, and Indian Valley road, 100 feet north of Little Weiser River; nail in knuckle of cot-	3, 165. 559
tonwood 20 feet west of road	3, 029. 16
southwest corner of blacksmith shop, east side of Main Street, in volcanic bowlder; aluminum tablet stamped "2999 W"	3, 000. 889
Indian Valley, 3.7 miles north of, near center of sec. 27, T. 15 N., R. 1 W., on Indian Valley-Council road, at foot of Thorn Creek Hill, 150 feet north of Thorn Creek, 100 feet west of road, 500 feet east of Sam Wood's house, near mound of rocks, in bowlder; aluminum tablet stamped "2931 W".	2, 932. 948
Indian Valley, 6.2 miles north of, NW. ¼ sec. 15, T. 15 N., R. 1 W., on Indian Valley-Council road, on middle fork of Weiser River Summit, 30 feet east of road, near mound of rocks, in granite bowlder; aluminum	
tablet stamped "3309 W". Indian Valley, 7.3 miles north of, on Indian Valley-Council road, 50 feet	3, 310. 911
south of creek, 3 feet east of bridge crossing Middle Fork Creek, in cotton-wood; nail	2, 903. 95

SQUAW CREEK QUADRANGLE.

Bench mark in T. 13 N., R. 1 W.	
Van Wyck, 29.6 miles west of, T. 13 N., R. 1 W., 500 feet northeast of cross-roads, 100 feet east of Van Wyck-Indian Valley road, in top of volcanic bowlder beside mound of rocks; aluminum tablet stamped "3395 W"	
Point 11.7 miles west of Van Wyck southwest to Canyon Hill, sec. 27, T. 13 N., R. 1 E., thence northwest along Indian Valley road to junction of Midvale road.	
Van Wyck, 12.8 miles west of, 30 feet east of Van Wyck-Indian Valley road, in tree; nail	5, 906. 80
in tree; 30-penny nail	·
in pine tree; 30-penny nail	5, 948. 81
num tablet stamped "6154 W". Van Wyck, 16.6 miles west of, 10 feet west of Van Wyck-Indian Valley road,	
in pine tree; 30-penny nail	5, 372. 11 4, 743. 51
Van Wyck, 19.1 miles west of, 10 feet north of Van Wyck-Indian Valley road, in pine tree; 30-penny nail	4, 494. 42
south of Van Wyck-Indian Valley road, in top of volcanic bowlder, near mound of rocks; aluminum tablet stamped "4464 W"	4, 464. 983
Indian Valley road; 30-penny nail	4, 136. 58
aluminum tablet stamped "4375 W"	
on top of bowlder, 2 by 2 by 3 feet	
Little Weiser River west along Midvale road to McMahan ranch.	0, 110. 011
Indian Valley-Midvale crossroads, 4.2 miles west of, at J. W. Stippich's ranch, 100 feet northeast of house, in corner of yard, in volcanic bowlder:	

ranch, 100 feet northeast of house, in corner of yard, in volcanic bowlder; aluminum tablet stamped "3230 W".....

St. Anthony and Victor quadrangles.

BINGHAM AND FREMONT COUNTIES.

The elevations in the following list are the results of leveling by Goyne Drummond in 1899 from St. Anthony, Idaho, to the Grand Teton and Mount Leidy quadrangles, Wyo., and were originally published in the Twenty-first Annual Report. In 1906 connection was made with the transcontinental line of the Coast and Geodetic Survey leveling by a line brought north from Green River and Rock

Springs, Wyo., to Twogwotee Pass and to a point 12 miles northeast of Kroner ranch, and readjustment was made between these points.

VICTOR QUADRANGLE.

Idaho-Wyoming State line at Trail Creek via Victor to Rigby's house.

Idaho-Wyoming State line, at Trail Creek, 8 feet north of road; bronze	Feet.
tablet stamped "B. M. 6681"	6, 683, 580
Spencer's house, 30 feet west of, 20 feet east of road, 250 feet north of Moses	
Creek; bronze tablet	6, 477. 700
Victor, northeast corner of Porter's store; iron post	6, 207. 582
Chapin's ranch, 60 feet east of house; iron post	6, 145. 989
Chapin's ranch, 2 miles northwest of, 100 feet north of channel of Darby	
Creek, 20 feet east of road; iron post	6, 124, 608
Drigg's house, 40 feet east of; iron post	6,099.209
Rigby's house, 1,000 feet northwest of, at milepost 192, Wyoming-Idaho	
State line; iron post	6, 404. 151
Policians to the state of the s	
Drigg's ranch via Kimball's and Swanner's ranches to Teton Bridge.	
Kimball's house, 1,150 feet southwest of, iron post	6, 107. 743
Swanner's yard, northeast corner of; iron post	5, 976. 158
Drigg's ranch to point 5.4 miles northwest of Teton Bridge.	
Drigg's ranch to point 3.4 miles northwest of recon Bridge.	
Drigg's ranch, 3.5 miles north of, 80 feet east of new house; iron post	6, 158. 321
Lathron's house, 50 feet east of, 300 feet south of ford, T. 6 N., R. 45 E.,	
east of southwest corner of sec. 28, north side of road; iron post	6,064.717
Teton Bridge, 400 feet east of, 6 feet from northwest corner of Alex West's	
house; iron post	5, 932. 255
Teton Bridge, 3.4 miles northwest of, top of divide between Teton River	
and Mill Creek; iron post	6, 194. 980
Teton Bridge, 5.4 miles northwest of, 20 feet west of Milk Creek, 600 feet	
south of road fork; iron post	6,071.942
-	

ST. ANTHONY QUADRANGLE.

Point 5.4 miles northwest of Teton Bridge to St. Anthony.

Teton Bridge, 7.9 miles northwest of, top of divide between Milk Creek
and Canyon Creek, 300 feet southwest of trail from Milk Creek; bronze
tablet
Harris ranch, 3 miles northeast of, 30 feet north of road; iron post 5, 908. 169
Harris ranch, 10 feet northeast of house; iron post
St. Anthony, 120 feet to left of station 1956+50, Oregon Short Line Rail-
road elevation corrected to sea level, 5,010.49 feet; U. S. G. S. elevation 4,958.665

Montpelier, Pocatello, Soda Springs, and Wayan quadrangles.

BANNOCK AND BEAR LAKE COUNTIES.

The elevations in the following list are results of part of the leveling done in 1909 in Idaho, Utah, and Wyoming, and are based on a bench mark of the Coast and Geodetic Survey near Onyx, Bannock County, Idaho, the first given in the following list. The elevation of this bench mark is accepted as 4,619.392 feet above mean sea level. From Onyx the line was run over the Oregon Short Line Railroad to a point 3.5 miles south of Montpelier, thence south by road via Lake-

town and Randolph, Utah, to Evanston, Wyo., closing on the Coast and Geodetic Survey bench mark at that point.

The leveling was done by L. F. Biggs. The closure errors of this line and circuits are excessive.

Additional elevations in the Montpelier quadrangle will be found in the Wyoming lists.

POCATELLO QUADRANGLE.

Point near Onyx along Oregon Short Line Railroad to Pebble.

Onyx, 1 mile north of, near signboard "1 mile to Onyx," west of third telephone pole south of milepost 197, 24 feet west of right of way fence on west side of track, red stone post 6 feet long and 6 inches square; bottom of square hole cut in top marked "U. S. □ B. M." (Coast and Geodetic	Feet.
Survey bench mark and 1911 preliminary adjustment value)	
long and 6 inches square; square cut hole marked "U. S. □ B. M." (Coast and Geodetic Survey bench mark)	4, 753. 742
McCammon, southeast corner of McCammon Investment Co. building, 3 feet above ground in corner stone; aluminum tablet stamped "4767 B	
1909 A"	4, 767. 081
crete foundation of semaphore 1888; aluminum tablet stamped "4834 B	
1909 B"	4, 834. 003
track, 250 feet east of road crossing, in concrete culvert; aluminum	4 00% 800
tablet stamped "4925 B 1909 C" Topaz, 2.8 miles east of, 0.8 mile west of Renfro, concrete foundation of distant block signal 1818, 12 feet south of center of track; aluminum	4, 925. 589
tablet	5, 017. 180
Lava, in front of station; top of rail. Lava, 0.2 mile north of, east side of track, in concrete foundation of sema-	5, 147. 0
phore 1772; aluminum tablet stamped "5155 B 1909 E"	5, 155. 072
Lava, 3.7 miles north of, east side of track, cemented in concrete founda- tion of semaphore 1734; copper nail and washer stamped "5225	
B. M. F"	5, 225. 373
SODA SPRINGS QUADRANGLE.	
Pebble along Oregon Short Line Railroad to Rose.	
Pebble, 1.5 miles north of, edge of track, in concrete foundation of sema- phore 1682; aluminum tablet stamped "5318 1909 B. G."	5, 318. 428
Bancroft, 3.4 miles west of, south side of track, in concrete foundation of semaphore 1652; aluminum tablet stamped "5380 B 1909 H"	5, 380. 640
Bancroft, in northeast corner of brick schoolhouse, 4 feet above ground; aluminum tablet stamped "5417 1909 BI"	5, 418. 323
Bancroft, in front of station; top of rail. Bancroft, 4 miles east of, north side of track, in concrete foundation of	
semaphore 1581; aluminum tablet stamped "5502 B 1909 J"	5, 503. 484
070070 D.:11 407 11 0	

97937°—Bull. 487—11——2

Alexander, 1.9 miles west of, south side of track, in concrete foundation of semaphore 1540; aluminum tablet stamped "5668 B 1909 K"	5, 669. 024 5, 731. 8 5, 730. 963 5, 777. 6 5, 777. 860
tion of semaphore 1422; aluminum tablet stamped "5808 B 1909 N" WAYAN QUADRANGLE.	5, 505. 290
Rose along Oregon Short Line Railroad to Novene.	
Rose, 1.5 miles southeast of, southwest corner of bridge over Bear River in concrete abutment; aluminum tablet stamped "5807 B 1909 O"	5, 808. 198 5, 853. 320
MONTPELIER QUADRANGLE.1 .	
Novene along Oregon Short Line Railroad to point 3.5 miles south of Montpelier, thence south along road on east side of Bear Lake to Idaho-Utah State line.	
Novene, in front of station; top of rail. Woley's spur, 1 mile northwest of, southwest corner of bridge 137 over Bear River, in stone abutment; aluminum tablet stamped "5904 B 1909 R". Pescadero, 1 mile northwest of, south side of track, in concrete foundation of semaphore 1218; aluminum tablet stamped "5923 B 1909 S". Pescadero, in front of station; top of rail. Montpelier, 4.6 miles northwest of, southeast corner of bridge over Bear	5, 903. 439 5, 923. 794 5, 921. 5
River, in concrete foundation; aluminum tablet stamped "5914 B 1909 T"	5, 940. 8 5, 945. 815
in fence corner; iron post stamped "5951 B 1909 V". Dingle, north end of town, at bend of road, opposite Bridge's ranch house, southwest corner of house yard; iron post stamped "5954 B 1909 W" Meckley Lake; surface of water, June 1, 1909. Dingle, 2.9 miles south of, 1,000 feet south of Meckley Lake, 50 feet south of	5, 955. 630 5, 926. 0
sheep pens, 150 feet west of road; iron post stamped "5939 B 1909 X" Mud Lake, surface of water in; June 1, 1909 Hot Springs, 1.6 miles north of, west edge of road, opposite Mini tunnel, on bowlder painted "5928 B. M. 72"; chisel point Hot Springs, 500 feet west of north-south road, 100 feet south of Turnpike post office, west end of large gate to yard; iron post stamped "5947 B	5, 924. 2 5, 929. 90
1909 Y" Bear Lake, east shore; surface of water, May 31, 1909, light west wind prevailing. Hot Springs, 1 mile south of, north end of row of poplar trees, 300 feet north of house, in base of 20-inch poplar tree; spike with aluminum tag stamped "5980 B. M. 73".	

¹ Additional elevations in this quadrangle will be found in Wyoming list.

TRIMART DEVENING.	10
Hot Springs, 3.5 miles south of, opposite northeast corner of alfalfa field, at lane to barn; iron post stamped "5958 B 1909 Z"	5, 960. 008 . 5, 927. 01
North Eden, 0.7 mile south of, at fence corner, 1,000 feet south of sheep sheds, west edge of road; iron post stamped "5958 B 1909 B 1"	
Dingle along Oregon Short Line Railroad to Border.	
Dingle, 1.6 mile south of, in southeast corner of concrete abutment of bridge 117 over creek; aluminum tablet stamped "5983 B 1909 32" Harer, in front of station; top of rail	6, 001. 2
iron post stamped "5998 B 1909 33" Pegram, 200 feet east of station, east edge of right of way, northwest corner of field, at road crossing; iron post stamped "6030 B 1909 34"	6, 031. 733
Pegram, 0.9 mile northeast of, northeast corner of steel bridge over Bear River, in cap; copper nail, with aluminum tag stamped "6042 B. M. 177"	6, 043. 30
Pegram, 2.6 miles northeast of, east edge of right of way, opposite milepost 95; iron post stamped "6048 B 1909 35"	6, 048, 849
Wyoming State line post; iron post stamped "6072 B 1909 30"	
Montpelier, east side of steps of town hall, on first tier of concrete guard rail;	
aluminum tablet stamped "5962 B 1909 21"	5, 963. 350
aluminum tablet stamped "6211 1909 B 22". Montpelier, 8.4 miles east of, 600 feet southeast of junction of Star Valley and Geneva roads, 200 feet south of creek, on point of hill, 20 feet east of road	6, 212. 100
iron post stamped "6444 B 1909 23"	6, 444. 837
painted "6608 B. M. 148"; chisel point	
and Geneva; iron post stamped "7000 B 1909 24"	7, 001. 153
road, on bowlder painted "6310 B. M. 151"; chisel point	
west corner of field; iron post stamped "6230 B 1909 25"	6, 230. 086
section of north-south road; iron post stamped "6171 B 1909 26"	
Raymond, 1,500 feet south of schoolhouse, at section corner, junction of east-west road; iron post stamped "6133 B 1909 28"	6, 134. 138
Raymond, 3 miles south of, on section line, 0.25 mile east of Idaho-Wyoming State line, northwest corner of alfalfa field belonging to J. Francis,	
15 feet south of gate to lane; iron post stamped "6107 B 1909 29"	6, 108. 221

Montpelier via Ovid, Paris, and St. Charles to Turnpike (Hot Springs).

Montpelier, 1.7 miles west of, northeast corner of steel bridge over Bear	Feet.
River, in concrete abutment; bolt head painted "5925"	5, 925. 97
Montpelier, 3 miles west of, 350 feet west of bridge over slough, southeast	
corner of field at junction of roads; iron post stamped "5922 B 1909 36".	5, 923. 880
Ovid, southwest corner of school yard, at road junction; iron post stamped	
"5932 B 1909 37"	5, 933. 430
Paris, southwest corner of county courthouse, 5 feet above ground; alumi-	
num tablet stamped "5966 B 1909 38"	5, 967. 084
St. Charles, 3 miles north of, northeast corner of field, at junction of road to	
west, 60 feet south of log barn at Joe Patterson's ranch, 300 feet north of	
creek; iron post stamped "5962 B 1909 39"	5, 963. 890
St. Charles, northeast end of town, west edge of road, opposite intersection	
of Paris and turnpike roads, 35 feet east of frame house, on fence line;	
iron post stamped "B 1909 5953 40"	5, 954. 928
St. Charles, 3 miles east of, 4 miles west of Hot Springs, 50 feet west of out-	
let of Bear Lake, on turnpike road; iron post stamped "5927 B 1909 41".	5, 928. 410
Bear Lake, surface of water, July 19, 1909; (light south winds and light	
waves, poor level)	
Mud Lake; surface of water, July 19, 1909	5, 924. 1

Hailey, Picabo, Sawtooth, and Soldier quadrangles.

BLAINE COUNTY.

The elevations in the following list are approximate and are based on the height of the top of rail in front of the station at Hailey, determined by the Oregon Short Line Railroad.

The leveling was done in 1896 by A. B. Searle.

HAILEY QUADRANGLE.

Bench mark established at Hailey Hot Springs.

Hailey Hot Springs, at southwest corner of porch of hotel; iron post stamped Feet. "5418"	34
Bench marks along Warm Springs Creek.	
Upper Hot Springs, at northwest corner of old cabin, on northeast side of road, about 20 yards from creek crossing; iron post stamped "6286" 6, 286.3 Punch Bowl Lakes, about 1.2 miles above, on southeast side of road; iron post stamped "6010"	47
Ketchum south along Oregon Short Line Railroad to Hailey.	
Cold Springs mill, about 0.2 mile south of, at Point of Rocks; iron post stamped "5690"	

Ketchum, 2.5 miles north of, first bridge over Wood River, not on main	
road, about 40 feet northeast of east end, west of road; iron post stamped	
"5949")21

Becker's ranch, at fence corner west of railroad track, about 20 yards south

Ketchum, 8.5 miles north of, about 90 feet north of third bridge over Wood River, 30 feet east of wagon road; iron post stamped "6236"	6, 235. 937
PICABO QUADRANGLE.	
Hailey along Camas Prairie road to Doniphan.	
Gilman, side of house where post office was formerly located, near forks of road; iron post stamped "5547"	5, 856. 922 6, 114. 866
Camas No. 2 mine; iron post stamped "5788"	
SOLDIER QUADRANGLE.	
Bench marks established along Willow Creek.	
Willow Creek road and short cut to Soldier, forks of, about 50 feet west of a lone tree at edge of small drain; iron post stamped "5094"	5, 093. 974
Willow Creek and Buttercup mine roads, junction of, southeast corner of log house; iron post stamped "5530"	
Smoky District to head of Soldier Creek.	
Trail Crook and branch of Soldier Creek divide between iron nost stamped	
Trail Creek and branch of Soldier Creek, divide between; iron post stamped ''7082". T. 14 E., R. 1 N, south line of sec. 9, near Soldier Creek, at southeast corner of John Wordrupp's corral, about 20 feet west of forks of Soldier and Trail Creek roads; iron post stamped ''5366". Soldier Creek, near, 30 yards northwest of little log cabin, west side of wagon road where road makes right-angle turn after crossing creek near clump of quaking asps; iron post stamped ''5755". Soldier Creek, near, 2 miles west of mill, near cluster of big rocks, about 20 yards from large fir tree and 30 yards south of trail; iron post stamped ''6558".	5, 365. 63 5, 755. 02
SAWTOOTH QUADRANGLE.	
Divide between Willow Creek and Smoky Creek to Castle Crag.	
Willow Creek and Smoky Creek divide, highest point of, about 200 feet east of road; iron post stamped "6857". Soldier road, junction with, opposite Soldier road crossing of Little Smoky Creek, in top of bowlder; bronze tablet stamped "6365". Carrie Leonard road, junction with, west side of road, about 0.5 mile north	6, 857. 009 6, 364. 689
of junction of Carrie Leonard and Little Smoky creeks; iron post stamped "6123". Carrie Leonard Creek and Warm Springs Creek, divide between; iron post stamped "8719". Summit where Warm Springs Creek crosses road, about 3.5 miles east of, on	6, 123, 185 8, 718, 579
south side of road and near a group of large stumps; iron post stamped "7281". Castle Crag, 50 feet east of base of, at west side of road, midway between two	7, 281. 377
creek crossings; in top of rock; bronze tablet stamped "6640"	

Smoky District along south Boise trail toward Atlanta.

Worswick's, 1.5 miles from, about 100 yards east of trail; iron post stamped "7148".	Feet. 7, 148. 267
Little and Big Smoky creeks, junction of, about 200 yards south of forks of South Boise and Big Smoky trails, in east face of rock, about 50 feet above	
general elevation of valley; copper bolt stamped "5539"	5, 539. 014
on rocky point about 100 feet above creek and about 20 yards southwest from lone fir tree; iron post stamped "5822"	5, 821. 759
South Boise Creek, 3.8 miles above placer claim, near lone fir tree at south side of trail on flat, and 50 yards east of creek; iron post stamped "5773"	
South Boise Creek, about 9.5 miles above placer claim, at south side of trail and at base of large accumulation of slide rock, at point where the canyon begins to narrow, and where trail goes down to creek; iron post	
stamped "6169"	6, 169. 593
Point 13.5 miles northwest of Ketchum up Wood River to divide between Wood and Salmon rivers.	
Ketchum, about 13.5 miles northwest of, about 40 feet north of abandoned stable on top of small knoll at south end of road and west of road crossing	
of Bowlder Creek; iron post stamped "6596"	6, 595. 866
Wood River, at top of wagon grade on north side of road; iron post stamped	
''7020'' 	7, 019. 766
Galena, near southeast corner of second building west of road; iron post stamped "7294"	,
Galena, near southeast corner of second building west of road; iron post	7, 294. 195
Galena, near southeast corner of second building west of road; iron post stamped "7294"	7, 294. 195 7, 426. 2

Chatcolet Station, Kendrick, and Pullman quadrangles.

KOOTENAI AND LATAH COUNTIES.

The elevations in the following list were determined by primary leveling extended from an aluminum tablet in the top of latitude pier in the grounds of the county courthouse at Spokane, the elevation of which is now accepted as 1,891.954 feet above mean sea level, as obtained by readjustment of a double-rodded line run in 1898 along the Northern Pacific Railway by H. S. Crowe.

The leveling was done in 1903 by E. M. Fry.

PULLMAN QUADRANGLE.

Bench mark at Moscow.

Moscow, 20 feet north of Northern Pacific Railway station, 5 feet west of	
platform, near coal house, 15 feet west of track; iron post stamped "2564	Feet.
S"	2, 564. 873

KENDRICK QUADRANGLE.

Genesee via county road to Moscow.

Genesee, northeast corner of Main and Third streets, in brick wall at front	
entrance to First National Bank, 1 foot above sidewalk; bronze tablet	
stamped "2676 S"	2, 676. 945

Line along Thorn Creek road to Moscow.

Bangs, 2 feet from southeast corner of schoolhouse, in brick foundation, 3 Feet.	
feet north of steps; bronze tablet stamped "2745 S"	207
Snow's ranch, 1,000 feet southwest of house, 150 feet west of road at section	
corner, southeast corner of field, in rock ledge 3 feet above ground; bronze	
tablet stamped "2586 S"	552

CHATCOLET STATION QUADRANGLE.

Bench mark at Lovell.

Lovell, 150 feet west of section house, 100 feet east of railroad tool house, 10	
feet west of milepost 407, 20 feet south of track; iron post stamped "2586"	
S"	37.882

Cataldo and Rathdrum 30' quadrangles and Cœur d'Alene special quadrangle.

KOOTENAI AND SHOSHONE COUNTIES.

The elevations in the following list are based on primary leveling. The leveling in the Cataldo and Cœur d'Alene quadrangles was done in 1900 by F. E. Washburn, in 1901 by S. M. Hatch, and in 1905 by A. P. Anderson; that in the Rathdrum quadrangle was done in 1899 by M. P. Page.

RATHDRUM QUADRANGLE.

Bench marks established near Spirit Lake and Fish Lake. Sullivan's ranch south end of 4 feet south of road in root of 40-inch vellow-

Sumvan's ranch, south end of, 4 feet south of road, in root of 40-inch yellow-	Feet.
pine tree; tack	2, 298. 7
Spirit Lake, 200 feet east of landing, 15 feet south of road; iron post stamped "2490 S".	2 490 593
"2490 S"	2, 400. 000
Fish Lake, 1.5 miles north of, 4 feet west and south of forks of road, in top of	
bowlder 20 by 12 inches, 6 inches above ground; cross mark, "+"	2, 429. 4
Fish Lake, 600 feet east of, northeast of forks of roads, in top of bowlder 10	
inches by 6 feet; cross mark, "+"	
Fish Lake, surface of water	2, 313. 6
Fish Lake, 0.2 mile east of south end of, 80 feet south of fork of roads; iron	
post stamped "2366 S"	2, 366. 308
From point near Hauser Junction along Northern Pacific Railway to milepost "W. 204, H. 42."	
Hauser Junction, 1.4 miles east of, 30 feet north of public road and 120 feet	
north of railroad, in south end of bowlder 40 by 30, inches above ground;	
bronze tablet stamped "2118 T"	2, 119. 193
bronze tablet stamped "2118 T". Rathdrum, in front of station, top of rail.	2, 119. 193
bronze tablet stamped "2118 T"	2, 119. 193 2, 207. 0
bronze tablet stamped "2118 T". Rathdrum, in front of station, top of rail.	2, 119. 193 2, 207. 0
bronze tablet stamped "2118 T"	2, 119. 193 2, 207. 0 2, 216. 310
bronze tablet stamped "2118 T"	2, 119. 193 2, 207. 0 2, 216. 310
bronze tablet stamped "2118 T"	2, 119. 193 2, 207. 0 2, 216. 310
bronze tablet stamped "2118 T". Rathdrum, in front of station, top of rail. Rathdrum, in brick building (Russell's store), eighth tier of bricks above sidewalk; bronze tablet stamped "2216 T". Milepost "W. 190, H. 56," 0.2 mile east of, 10 feet south of wagon road, 300 feet northeast of signboard "Sheridan" in notch of fir tree 18 inches in diameter; copper nail. Ramsey, 50 feet north of center of track, 3 feet east of telegraph pole, 20 feet	2, 119. 193 2, 207. 0 2, 216. 310 2, 271. 85
bronze tablet stamped "2118 T". Rathdrum, in front of station, top of rail. Rathdrum, in brick building (Russell's store), eighth tier of bricks above sidewalk; bronze tablet stamped "2216 T". Milepost "W. 190, H. 56," 0.2 mile east of, 10 feet south of wagon road, 300 feet northeast of signboard "Sheridan" in notch of fir tree 18 inches in diameter; copper nail.	2, 119. 193 2, 207. 0 2, 216. 310 2, 271. 85
bronze tablet stamped "2118 T". Rathdrum, in front of station, top of rail. Rathdrum, in brick building (Russell's store), eighth tier of bricks above sidewalk; bronze tablet stamped "2216 T". Milepost "W. 190, H. 56," 0.2 mile east of, 10 feet south of wagon road, 300 feet northeast of signboard "Sheridan" in notch of fir tree 18 inches in diameter; copper nail. Ramsey, 50 feet north of center of track, 3 feet east of telegraph pole, 20 feet	2, 119. 193 2, 207. 0 2, 216. 310 2, 271. 85
bronze tablet stamped "2118 T". Rathdrum, in front of station, top of rail. Rathdrum, in brick building (Russell's store), eighth tier of bricks above sidewalk; bronze tablet stamped "2216 T". Milepost "W. 190, H. 56," 0.2 mile east of, 10 feet south of wagon road, 300 feet northeast of signboard "Sheridan" in notch of fir tree 18 inches in diameter; copper nail. Ramsey, 50 feet north of center of track, 3 feet east of telegraph pole, 20 feet east of wagon road; iron post stamped "2330 T".	2, 119. 193 2, 207. 0 2, 216. 310 2, 271. 85 2, 330. 828
bronze tablet stamped "2118 T". Rathdrum, in front of station, top of rail. Rathdrum, in brick building (Russell's store), eighth tier of bricks above sidewalk; bronze tablet stamped "2216 T". Milepost "W. 190, H. 56," 0.2 mile east of, 10 feet south of wagon road, 300 feet northeast of signboard "Sheridan" in notch of fir tree 18 inches in diameter; copper nail. Ramsey, 50 feet north of center of track, 3 feet east of telegraph pole, 20 feet east of wagon road; iron post stamped "2330 T". Milepost "W. 196, H. 50," 215 feet northeast of, 100 feet north of railroad,	2, 119. 193 2, 207. 0 2, 216. 310 2, 271. 85 2, 330. 828 2, 368. 80
bronze tablet stamped "2118 T". Rathdrum, in front of station, top of rail. Rathdrum, in brick building (Russell's store), eighth tier of bricks above sidewalk; bronze tablet stamped "2216 T". Milepost "W. 190, H. 56," 0.2 mile east of, 10 feet south of wagon road, 300 feet northeast of signboard "Sheridan" in notch of fir tree 18 inches in diameter; copper nail. Ramsey, 50 feet north of center of track, 3 feet east of telegraph pole, 20 feet east of wagon road; iron post stamped "2330 T". Milepost "W. 196, H. 50," 215 feet northeast of, 100 feet north of railroad, in pine tree; copper nail.	2, 119. 193 2, 207. 0 2, 216. 310 2, 271. 85 2, 330. 828 2, 368. 80

Milepost "W. 201, H. 45," 390 feet northeast of, 40 feet north of track, in north side of fir stump 24 inches in diameter; railroad spike	2, 376. 90 2, 392. 1 2, 393. 40)
Hauser Junction via Northern Pacific Railway to Cœur d'Alene.		
Post Falls, 150 feet south of woolen mill, 200 feet east of bridge over Spokane River, 100 feet west of railroad spur, in large bowlder 20 feet south of road; aluminum bolt stamped "2147 S". Post Falls, 6 miles east of, 500 feet south of track, 8 feet southwest of telegraph pole; iron post stamped "2148 S". Cœur d'Alene, corner of Sherman and Fourth streets, in southeast corner of Merriam building, 2 feet above sidewalk and 1 foot from door; aluminum tablet stamped "2157 S.	2, 148. 19)6
Cœur d'Alene Lake, at Johnson's boat landing, in cottonwood tree at surface of water May 20, 1899; spike. Cœur d'Alene Lake; surface of water May 23, 1899. Cœur d'Alene Lake; surface of water, August 23, 1899. Post Falls, at dam; surface of Spokane River, August 23, 1899.	2, 131. 1 2, 130. 5 2, 122. 0	פו
Cœur d'Alene via King's ranch to Ramsey.		
Cœur d'Alene, 1 mile north of, 20 feet west of road, 200 feet southwest of house, in pine stump; spike. Cœur d'Alene, 2 miles north of, 30 feet east of road, 200 feet northeast of road forks, in pine tree; spike. Cœur d'Alene, 3.5 miles north of, 40 feet north of forks of road, in gate post; spike. Cœur d'Alene, 4.3 miles north of, 40 feet northeast of road crossing, 80	2, 234. 69 2, 235. 36 2, 254. 27	3
feet southwest of schoolhouse, near corner of secs. 13, 14, 23, and 24, T. 51 N., R. 4 W., in pine tree; spike	2, 280. 60 2, 314. 13 2, 329. 73	3
Cœur d'Alene, 9.5 miles north of, 3 feet west of road, in root of pine stump 36 inches in diameter; spike		
Cœur d'Alene to Fernan Lake.		
Fernan Lake, 15 feet north of, 200 feet east of Fernan's house, on stone 20 by 30 by 20 inches; cross	2, 133, 66 2, 129, 53	
Rathdrum along telephone road to point on Cœur d'Alene branch of Northern Pacific Railway 2.5 miles east of Post Falls.		
Rathdrum, 2.8 miles south of, corner common to secs. 12, 7, 13, and 18,		
T. 51 N., Rs. 4 and 5 W., on stone at foot of telephone pole; cross Rathdrum, 3.8 miles south of, 20 feet northwest of crossroads, 300 feet northeast of Thornton's barn, corner common to secs. 13, 18, 24, and 19,		
T. 51 N., Rs. 4 and 5 W.; iron post stamped "2241 S"	2, 241. 83	3

Hauser Junction via county road to Hayden Lake.

Hauser Junction, 4 miles east of, in post southeast of corner of secs. 22, Feet. 23, 26, and 27, T. 51 N., R. 5 W.; spike
Corner of Tps. 51 and 52 N., Rs. 3 and 4 W.; iron post stamped "2424 S" 2, 424.05 T. 52 N., R. 3 W., 30 feet east of quarter corner of S. ½ sec. 33; in root of fir tree; spike
Corner of secs. 4, 5, 31, and 32, Tps. 51 and 52 N., R. 3 W., to Hudlow's ranch, on Hayden Lake.
Rim Rock, 300 feet northwest of schoolhouse, 60 feet north of road, in tamarack stump; spike
Cœur d'Alene via French Gulch to Kelley's ranch.
Cœur d'Alene, 2 miles northeast of, 30 feet north of road and 50 feet west of bridge, in root of tamarack stump; nail
West end of Spirit Lake along trail to Brickel's cabin.
Spirit Lake, 1 mile west of, 30 feet west of log cabin, 60 feet east of creek, 5 feet north of trail, in root of fir tree 24 inches in diameter; nail 2, 456. 07 Spirit Lake, 2 miles west of, 20 feet southeast of southeast corner of Brickel's cabin, 150 feet north of creek, in root of fir tree 10 inches in diameter; nail
Schoolhouse at east end of Eightmile Prairie, 2 miles south of Ramsey, east along county road to Pend Oreille Lake.
Schoolhouse at east end of Eightmile Prairie, 100 feet west of, 250 feet east of Northern Pacific Railway; iron post stamped "2385 S"
Collin's ranch along road and Leiberg trail to Chilto Mountain.
Collin's ranch, 2.5 miles east of, 20 feet south of forks of roads, in root of fir tree 12 inches in diameter; nail

Leiberg Creek and Iron Gulch, top of divide between, 1 mile southwest of Chilco triangulation station; iron post stamped "4944 S"	
Ramsey via Seneaguoteen and Rathdrum road to Sheep Springs.	
Ramsey, 1 mile north of, 30 feet west of road, in root of pine tree; nail Ramsey, 2.8 miles north of, 10 feet west of road, 100 feet west of fork of roads; iron post stamped "2424 S"	
Ramsey, 4.3 miles north of, 30 feet west of fork of roads, 5 feet west of road, in root of pine tree; nail	
Ramsey, 5 miles north of, 40 feet north of road, 60 feet northeast of fork of roads, in root of pine tree; nail	2, 437. 49
Ramsey, 5.8 miles north of, 25 feet northeast of crossroads; iron post stamped "2491 S".	
Ramsey, 7.5 miles north of, 30 feet west of road, in root of tree; nail	
Cœur d'Alene via Wolf Lodge to Fourth of July Canyon.	
Cœur d'Alene, 2.8 miles southeast of, 60 feet southwest of fork of roads,	
on stone 30 by 20 by 12 inches; cross	2, 504. 445
iron post stamped "2691 S"	
road, in fir tree; nail. Cœur d'Alene, 6.7 miles southeast of, 5 feet north of road, 50 feet east of	
fork of roads, in fir tree; nail	
Wolf Lodge, 1.2 miles east of, 5 feet north of road, 300 feet north of drain, in root of fir tree; nail	
Fourth of July Canyon and Cedar Creek, top of divide between, 40 feet north of road; iron post stamped "3136 S"	
Harrison along track of Oregon-Washington Railroad & Navigation Co. to Lane.	
Harrison, base of fence around residence of M. Ribstene, in sixth tier of	
stone wall; aluminum tablet stamped "2207 S". Lane, 600 feet southeast of post office and station, 40 feet north of house,	
in granite bowlder 24 by 36 by 40 inches; aluminum bolt stamped "2153 S"	
Len Landing via Bellgrove to State line.	
Len Landing, 1 mile southwest of, 10 feet north of road, in root of fir tree;	
nail	
Len Landing, 3.2 miles southwest of, 6 feet south by 100 feet west of cross-roads, in root of fir tree; nail.	2, 502. 81
Bellgrove, 1 mile south of, 20 feet east of an old deserted cabin, 100 feet north of fork of roads; iron post stamped "2411 S"	
Bellgrove, 2 miles southwest of, 5 feet west of road, 20 feet south of fork of roads, in root of fir tree; nail	2, 464. 55
Three Pine Springs, 1.1 miles west of, 20 feet south of road, at summit of hill, in root of fir tree; nail	2, 753. 54

Bellgrove via Mica Bay to Post Falls.

Bellgrove, 0.9 mile north of, 15 feet east of road at summit of divide, 600		
feet north of B. F. Williams's house; iron post stamped "2585 S" Bellgrove, 2.1 miles north of, 24 feet north of creek, 500 feet southeast of	2, 989. 372	
barn, 20 feet east of fence, in root of fir tree; nail	2, 331. 21	
Bellgrove, 2.8 miles north of, 60 feet west of creek, in root of white pine		
tree; nail	2, 290. 32	
Bellgrove, 5.8 miles north of, 100 feet south of house, on rock 20 by 10 by 7	2 7 40 07	
inches; cross	2, 149. 91	
36 by 24 by 18 inches; cross	2, 471, 57	
Mica Bay, 1.2 miles north of, 10 feet west of forks of roads on summit of	2, 1, 1, 0,	
hill, in root of pine tree; nail	2, 571. 32	
T. 49 N., R. 4 W., 30 feet east of quarter corner between secs. 4 and 5; iron		
post stamped "2578 S"	2, 578. 170	
Cougar Creek, 2 miles northwest of, 12 feet south of road, on summit of divide between Spokane River and Cougar Creek, 800 feet north of		
cabin; iron post stamped "28:0 S"	2, 810. 936	
Spokane River, 9.5 mile south of, 25 feet southeast of fork of roads, in root		
of pine tree; nail		
Post Falls, 1.5 miles southeast of, 15 feet south of ferry over Spokane River, in root of pine tree; nail.		
	2, 121.00	
Various high summits determined by vertical angles.		
Cœur d'Alene, 7.5 miles southeast of, 4.5 miles east of Echo Bay, on summit		
of highest roundtop point, in stone 20 by 20 inches; aluminum bolt		
stamped "4440 S"	4, 440. 0	
summit of high roundtop bald peak, in rock 2 feet by 1 foot; copper bolt		
stamped "5250 S"	5, 250. 5	
at head of Wolf Lodge Creek, in large bowlder; aluminum bolt stamped "4851 S"		
Rathdrum, 3 miles north of, on high roundtop burnt peak known as "Rath-		
drum Bald," in bowlder; aluminum bolt stamped "4970 S"	4, 970. 5	
Hayden Lake, 5.5 miles east of high roundtop burnt point, in rock; alumi-		
num bolt stamped "5026 S".		
Leiberg Creek and Iron Gulch, 1 mile northeast of divide between, at Chilco triangulation station; copper bolt stamped "5625"	5 625 5	
	,	
CATALDO 30' QUADRANGLE AND CŒUR D'ALENE SPECIAL QUADRANGLE		
Cataldo along road to mouth of Fourth of July Canyon.		
Cataldo, 4 feet west of section house; iron post stamped "2143 S"		
Cataldo, 1 mile northwest of, in base of telephone pole 1034; spike)
Cataldo, 3 miles northwest of, 175 feet northwest of schoolhouse, in root of pine stump; nail	2, 136. 87	
Cataldo, 3.7 miles northwest of, north of road at forks, in root of fir tree; nail.		
Cataldo, 4.6 miles northwest of, 6 feet west of telephone pole 900, in root of		
stump; spike	2, 205. 57	
Cataldo, 5.7 miles northwest of, south of road, 60 feet southwest of telephone	9 957 54	
pole 857, in root of fir stump; spike	2, 207. 04	
opposite old cellar; iron post stamped "2160 S"	2, 160. 446	3
1		

Kingston along trail via Little North Fork to Cascade Creek, thence northeast via Leiberg mine, Bear Creek, and Weber mine to Lake View.

Zolborg India, Zotal Crook, and Wood India to Control	
Little North Fork of Cœur d'Alene River, 150 feet north of mouth of, 30	
feet west of, on top of large cliff; iron post	94. 880
6 feet above water, on narrow projecting rock; cross	93. 450
Kingston, 1 mile northeast of, 90 feet northeast of Oregon-Washington Rail-	
road & Navigation Co. bridge, in root of cottonwood tree branching in	
two; nail	60. 90
Delta, Murray, and Little North Fork roads, 210 feet east of intersection of, 40 feet south of creek at bend in road, in root of 12-inch pine tree; nail. 2, 5:	22 12
Delta, Murray, and Little North Fork roads, 0.45 mile from intersection of,	34, 43
20 feet north of creek, in root of fir tree; spike; marked "2436" 2, 4	37.06
Delta, Murray, and Little North Fork roads, 1.2 miles from intersection of,	
20 feet south of road, in root of pine tree; nail	60. 99
Delta, Murray, and Little North Fork roads, 1.98 miles north of intersection of, 1,700 feet northwest of Jacobson's house, 30 feet west of road, in root of	
large cedar stump; nail marked "2195"	95. 06
Ben Vener's house, 50 feet northwest of, in root of 24-inch fir tree; nail 2, 1	99. 25
Ben Vener's house, 1 mile northwest of, edge of trail between North Fork	
of Cœur d'Alene and Little North Fork rivers, in root of 20-inch pine	CO 44
tree; nail marked "2462"	02.44
north of trail, in root of 26-inch fir tree; nail marked "2641"	41. 58
North Fork Cœur d'Alene River, 1.25 mile from, 10 feet north of trail, 20	
feet north of small rill, in root of 16-inch fir tree; nail marked "2515". 2,5	14. 82
Little North Fork River, 500 feet northwest of, at edge of trail, in root of fir tree; nail marked "2380"	89 97
Canning's house, 880 feet north of, 150 feet northwest of Little North Fork	02. 21
River, 40 feet south of trail, in root of 36-inch cottonwood tree; nail	
marked "2205" 2, 2	06. 10
Canning's house, 0.5 mile north of, 80 feet west of Little North Fork River, 30 feet east of trail, in root of 34-inch cedar tree; nail marked "2212" 2, 2	19 59
Glenwood, 40 feet west of log house, 300 feet northwest of Little North Fork	12.02
River, in root of 12-inch fir tree; nail marked "2218"	18.42
Bumble Bee, east of river, in top of rock 12 feet above water; aluminum	
tablet stamped "2239 S"	39. 444
Bumble Bee, 0.25 mile southwest of, 30 feet southeast of river, at edge of trail, in root of 36-inch cottonwood tree; nail marked "2241"	241. 25
Bumble Bee, 0.8 mile northwest of, 10 feet west of river, at edge of trail at	
ford, in root of 30-inch cottonwood tree; nail marked "2245"	45. 09
Bumble Bee, 1.5 miles northwest of, opposite high cliff at bend in river, on	250 40
bank of river, in root of 24-inch cottonwood tree; nail marked "2250" 2, 2 Bumble Bee, 2.8 miles northwest of, 1,600 feet south of cabin, 30 feet south-	30, 43
west of river, in root of 36-inch cedar tree; nail marked "2273" 2, 2	273. 39
Old Mission trail, intersection with Little North Fork of Cœur d'Alene	
River crossing, 20 feet south of river, in root of 36-inch fir tree; nail	000 00
marked "2300"	00.00
Cœur d'Alene, 10 feet from north bank of river, in root of pine tree 30	
inches in diameter; nail	06. 29
Cox's logging camp, 70 feet east of, 50 feet west of Copper Creek, 30 feet	00E 700
west of Old Mission trail: iron post stamped "2335 S"	35, 780
east of trail, in root of 16-inch white pine tree; nail marked "2336" 2,3	336.85
,	

Cox's logging camp, 1 mile north of, 20 feet southeast of Little North Fork	
	Feet.
in root of 30-inch hemlock tree; nail marked "2357"	
Little North Fork River, west side of stream, at base of cliff 300 feet high,	2,001.20
10 feet from three large cottonwood trees, in root of fir tree; nail marked	
	2, 388. 35
Old Mission trail, 20 feet north of, south bank of river, in root of 48-inch	2,000.00
cedar tree; nail marked "2401"	9 401 88
Cox's lower logging camp, 3 miles northwest of, 50 feet south of river, 10	2, 101.00
feet south of Old Mission trail; iron post stamped "2406 S"	9 406 779
Little North Fork River, south bank of stream at bend, at base of cliff 75	2, 400. 775
feet high, on shelving rock, in root of 18-inch hemlock tree; nail marked	
"2444"	9 444 07
Old Mission trail, 20 feet north of, 40 feet south of river, in root of 24-inch	2, 444. 31
	9 409 70
Little North Fork River, near bend at base of cliff 100 feet high projecting	2, 468. 70
over river, in root of 36-inch cottonwood tree; nail marked "2481"	0 401 00
	2, 401. 20
Little North Fork River, south bank of, clump of four trees, one partly cut by beavers, in root of cottonwood tree; nail marked "2502"	9 502 90
Leiberg and Old Mission trails, 200 feet west of intersection of, west bank	2, 505. 20
of river, on large rock; cross marked "2540"	9 540 40
Leiberg and Old Mission trails, intersection of, 40 feet north of, 6 feet east	2, 040. 40
Leftberg and Old Mission trans, intersection of, 40 feet north of, 6 feet east	9 541 70
of trail, in root of 20-inch hemlock tree; nail marked "2541" Leiberg and Old Mission trails, 12 feet west of intersection of, 0.75 mile	2, 041. 70
northwest of Handspike mine, 200 feet west of mouth of Leiberg Creek;	
iron post stamped "2541 S"	9 541 960
S. W. Cope's cabin, 250 feet northeast of, 10 feet north of river, 70 feet	2, 041. 000
below crossing of Old Mission trail, in root of 30-inch cottonwood tree;	
nail marked "2558"	2 559 04
Prospector's cabin, 0.5 mile northwest of, south bank of river, at base of	2,000.01
steep wooded slope, in root of 18-inch cedar tree; nail marked "2630"	2 631 36
Old Mission trail, 100 feet south of, on south bank of river, 400 feet above	2, 001.00
large riffle, in root of 30-inch cottonwood tree; nail marked "2673"	2, 672, 52
Old Mission trail, 170 feet south of, 50 feet east of large talus slope, south	_, =, =, =, =
bank of river, in root of 24-inch cottonwood tree; nail marked "2692"	2, 692, 56
Old Mission trail ford, 200 feet north of, north bank of river at bend, in	_,
root of 12-inch black pine tree; nail marked "2717"	2, 718, 04
Skookum Creek, mouth of, on bank, in root of dogwood tree; nail marked	_,
"2732"	2, 732, 54
Old Mission and Cœur d'Alene trails, 10 feet east at intersection, 115 feet	,
north of mouth of Deception Creek; iron post stamped "2740 S"	2,740.627
Old Mission and Cœur d'Alene trails, 0.5 mile north of intersection, 200	
feet northeast of ford of Old Mission trail, north bank of river, in root of	
20-inch white pine tree; nail marked "2754"	2, 754, 79
Old Mission and Cœur d'Alene trails, 1.5 miles north of intersection of,	
20 feet east of river, 6 feet west of Old Mission trail, in root of white pine	
	2, 792.89
Cascade Canyon, mouth of, 240 feet south of mouth of Cascade Creek, 30	
feet east of river, edge of trail at ford, in root of large pine stump; nail	
marked "2834"	2, 834. 62
Cascade Creek, 230 feet south of mouth, 80 feet east of river, 10 feet east of	
forks of trail; iron post stamped "2837 S"	2, 837. 547
Cascade Canyon, 0.8 mile northeast of mouth of, 400 feet northeast of cabin,	
edge of trail in root of 30-inch white nine tree: nail marked "2012"	2 912 58

Cascade Canyon, 1.2 miles northeast of mouth of, 20 feet south of trail, in			
root of 38-inch white pine tree; nail marked "2980"	2, 980	0:76	5
white pine tree 36 inches in diameter; nail marked "3155"	3, 15	6, 26	3
Moore's cabin, 0.5 mile southwest of, 10 feet north of trail, 30 feet south of	,		
cabin, in root of 24-inch hemlock tree; nail marked "3293"	3, 29	3.82	2
Moore's cabin, 340 feet south of, 30 feet east of small creek, 6 feet north of	0 04	7 10	
trail, in root of 32-inch hemlock tree; nail marked "3346"	5, 54	7.10	'
hemlock tree; nail marked "3437"	3, 43	8. 35	5
Moore's cabin, 0.6 mile northeast of, edge of trail, in root of hemlock tree;			
nail marked "3642"	3, 643	3. 33	3
fir tree; nail marked "3900"	3, 90	0. 36	6
Moore's cabin, 1.8 miles northeast of, edge of trail, in root of 10-inch white			
pine tree; nail marked "4144"	4, 14	8. 50	0
Moore's cabin, 1.9 miles northeast of, edge of trail, in root of 20-inch white pine tree; nail marked "4300"	4 30	1 09	0
Moore's cabin, 2 miles northeast of, at forks of trail and beginning of second	1,00	1. 00	
switchback, in root of 20-inch fir tree; nail marked "4473"	4,47	3. 79	9
Moore's cabin, 2.25 miles northeast of, 60 feet above last switchback, edge of	1 00	9 A	0
trail, in root of 18-inch black pine tree; nail marked "4661"	4, 00	2.0	U
of trail, in root of 24-inch white pine tree; nail marked "4665"	4, 66	6. 5	9
Leiberg mine, 0.5 mile south of, edge of trail, in root of black pine tree 10	4 00	0.0	~
inches in diameter; nail marked "4809"	4,80	9. 6	Э
north of trail, in root of 10-inch black pine tree; nail marked "5100"	5, 10	0.6	4
Leiberg mine, 0.8 mile south of, top of summit in large rock, 20 feet south			
of trail; aluminum tablet stamped "5127 S"	5, 12	27.8	64
knoll, in root of white pine tree; nail marked "5094"	5, 09	4. 6	8
Summit of trail, 1,600 feet northeast of, 18 feet north of trail, on steep smooth			
slope, in root of black pine tree; nail marked "4919"		20. 4	95
Leiberg mine, 1 mile southeast of, 0.5 mile east of summit of trail, 3 feet north of trail, in root of 12-inch black pine tree; nail marked "4926"		26. 7	96
Leiberg mine, 1.25 miles southeast of, south edge of trail, in root of fir tree;	-,		
nail marked "4822".		22.8	46
Leiberg mine, 1.8 miles east of, in low sag on ridge, 3 feet south of trail, in root of 12-inch white pine tree; nail marked "4457"	4 45	is 2	1
Leiberg mine, 3 miles southeast of, top of last summit between Cascade and	1, 10	0. 2	1
Trail creeks, on top of large white quartz bowlder 30 feet south of trail;			
cross marked "4581". Leiberg mine, 3.1 miles southeast of, 400 feet southeast of last summit on	4,58	32. 5	6
trail between Cascade and Trail creeks, in root of 10-inch hemlock tree;			
nail marked "4522"	4, 52	23. 2	5
Leiberg mine, 3.25 miles southeast of, edge of trail, in root of 16-inch white		10.0	10
pine tree; nail marked "4439"	4, 44	tU. 2	U
edge of trail, in root of 10-inch white pine tree; nail marked "4169"	4, 17	70. 1	4
Leiberg mine, 4.5 miles southeast of, 0.5 mile west of Trail Creek, 3 feet			
south of trail, in root of 12-inch hemlock tree; nail marked "4001" Leiberg mine, 4.8 miles southeast of, 500 feet east of Teany's cabin, 1,200	4,00)2. 1	3
feet west of Trail Creek, 3 feet south of trail, in root of white pine tree;			
nail marked "3802"	3,80)3.	57

Webb's cabin, 0.25 mile south of, 800 feet west of Trail Creek, on sharp ridge sloping down to creek, 3 feet west of trail, in root of 24-inch red fir tree;	Feet.
nail marked "3571"	3, 572. 66
nail marked "3332". Webb's cabin, 0.2 mile east of, 100 feet east of Trail Creek, 8 feet east of	3, 333. 61
forks of trail; iron post stamped "3273 S"	3, 274. 068
10-inch white fir tree; nail marked "3213"	3, 214. 27
of trail, at lower end of large open meadow, in root of 30-inch spruce tree; nail marked "3195"	3, 195.95
Big Meadows, 5 miles southwest of, 110 feet southeast of Trail Creek, 2 feet east of trail, in root of 16-inch white fir tree; nail marked "3147"	
Big Meadows, 4.8 miles southwest of, 12 feet west of Trail Creek, 4 feet east of trail, in root of 36-inch spruce tree; nail marked "3137"	
Heiner's eabin, 30 feet south of, 2.5 miles southwest of Big Meadows, 20 feet north of Trail Creek, in root of 30-inch spruce tree; nail marked "3082"	
Big Meadows, 1.8 miles southwest of, 3 feet south of trail, in root of 16-inch hemlock tree; nail marked "3054"	3,055.42
Big Meadows, 1.25 miles southwest of, 3 feet north of trail, 70 feet north of Trail Creek, in root of spruce tree 24 inches in diameter; nail marked	
"3025"	3, 026. 79
View and Cœur d'Alene trails, 3 feet north of trail, 300 feet northwest of mouth of Bear Creek, in root of 10-inch balsam fir tree; nail marked	
"3021"	3, 022. 00
i '	2, 855. 94
Burnt Cabin Creek, 55 feet northeast of mouth, 0.8 mile west of Wright's ranch, on large protruding rock 3 feet above water; cross marked "2874".	2, 874. 99
Wright's ranch ,1.25 miles northwest of, 1,600 feet northwest of mouth of Burnt Cabin Creek, 10 feet south of river, in root of white fir tree; nail marked "2882"	9 889 55
Wright's ranch, 2 miles northwest of, 12 feet east of river, 15 feet west of trail, in root of 36-inch spruce tree; nail marked "2902"	,
Wright's ranch, 2.5 miles northwest of, 200 feet west of trail, below dense willow swamp, south bank of river at sharp bend, in root of 20-inch spruce	2, 700.00
tree; nail marked "2916"	2,916.99
Mouth of Bear Creek along trail via Magees to mouth of East Fork of Cour d'Alene	
River, thence down river to mouth of Little North Fork.	
Big Meadows, 0.2 mile west of, 300 feet west of mouth of Teepee Creek, on	
steep hillside, 25 feet south of trail, in root of red fir tree 18 inches in diameter; nail marked "3138".	3, 139, 06
Magee's ranch, 0.25 mile west of, 260 feet north of mouth of Teepee Creek, 3	
feet south of trail, in root of 22-inch spruce tree; nail marked "2997"	2, 998. 19
C. Magee's cabin, 120 feet south of, 300 feet north of Trail Creek, 60 feet north of trail, on gravel knoll in open meadow; iron post stamped "2984 S"	2, 985. 289
C. Magee's cabin, 1 mile northeast of, 50 feet northwest of Trail Creek, 6 feet	
southeast of trail, in root of 8-inch white fir tree; nail marked "2957"	2, 958.61

C. Magee's ranch, 2 miles northeast of, 70 feet south of trail, bank of Trail Creek, on projecting rock 3 feet above water; cross marked "2926" Scott's cabin, 150 feet northeast of, 50 feet west of Trail Creek, 20 feet west		
of trail, in small meadow, in root of balsam fir tree in clump of three; nail marked "2919"	2, 920. 1	2
T. S. Vickere's cabin, 220 feet northwest of, 20 feet southwest of Trail Creek, 8 feet east of trail, in root of spruce tree forking in two; nail marked "2903".	2, 904, 7	0
Independence Creek, 200 feet north of mouth, 35 feet east of creek, 7 feet north of trail, 5 feet south of 36-inch cottonwood tree, on small gravel	_,	
knoll; iron post stamped "2894". Independence Creek, 1 mile northeast of mouth, 30 feet southwest of river,	2, 895. 1	.68
15 feet southeast of an old cabin, in root of 20-inch white pine tree; nail marked "2874"	2, 874. 9	3
in root of 35-inch white pine tree; naîl marked "2847"	2, 848. 4	1
tonwood tree; nail marked "2813". East Fork of Cœur d'Alene River, 240 feet southeast of mouth, 30 feet south	2, 813. 6	8
of north fork of river, 40 feet west of Miss Otterson's cabin; iron post stamped "2796 S". East Fork of Cœur d'Alene River, 1.25 miles southeast of mouth of, on	2,797.0	72
north bank of river opposite limestone cliff, in root of 18-inch cottonwood tree; nail marked "2768". East Fork of Cœur d'Alene River, 2.25 miles southeast of mouth of, on east	2, 769. 5	66
bank of river, on large square rock sloping into river and 3 feet above surface of water; cross marked "2748"	2,749.3	32
East Fork of Cœur d'Alene River, 3.25 miles southeast of mouth, on east bank of river, opposite large riffle, in root of 18-inch cottonwood tree; nail	9 791 7	'O
marked "2731"		
nail marked "2714". East Fork of Cœur d'Alene River, 5 miles southeast of mouth, on south bank of river, 4 feet above water, on shelving rock protruding from a high cliff,		
600 feet west of L. Sherman's cabin; cross marked "2701"		
above water, on large projecting rock; cross marked "2674"	2, 675. 0	17
in diameter, on top of rock; cross marked "2661"		
base of cliff, 25 feet above water, on shelving rock; cross marked "2640" Big Pool, 60 feet north of, 220 feet southeast of an old cabin, 7 feet northeast		
of hemlock tree 30 inches in diameter; iron post stamped "2636 S" Big Pool, 1.25 miles southeast of, 300 feet east of mouth of creek, opposite old cabin, 3 feet above water, on highest point of large rock projecting	2, 050. 8	40
above water; cross marked "2607"	2, 607. 7	7
high cliff, 3 feet above water, on highest point of large rock; cross marked "2587". Big Pool, 3 miles southeast of, on west bank of river, at base of cliff, 6 feet	2, 587. 5	9
above water, on top of large rock; cross marked "2579"	2, 580. 2	7

Big Pool, 4 miles southeast of, west bank of river, opposite high cliff, in	Tired
root of 30-inch cottonwood tree; nail marked "2564"	
Kit Price's prairie, southeast end of, 40 feet west of river, in root of 48-inch	2,001.77
twin cottonwood tree; nail marked "2535"	2, 536. 11
Kit Price's prairie, 1 mile southeast of, near middle of river, 3 feet above	
water, on large rock; cross marked "2519"	2, 519. 87
Kit Price's prairie, 2 miles southeast of, on west bank of river, in root of	
30-inch cottonwood tree; nail marked "2506"	2, 506. 28
Kit Price's prairie, 3 miles southeast of, 0.5 mile north of mouth of Big	
Creek, on east bank of river, in root of 24-inch cottonwood tree; nail	0 400 00
marked "2492". Big Creek, 1 mile southeast of mouth, on north bank of river, in root of	2, 492. 99
cottonwood tree forking in three; nail marked "2474"	2, 475, 06
Big Creek, 1.25 miles southeast or mouth, on south bank of river, opposite	
jagged cliff, on very large rectangular rock sloping down to water, 1 foot	
above high water mark; aluminum tablet stamped "2472 S"; sunk into	
rock	2, 472. 314
Copper Bell mine, 200 feet east of mouth of tunnel, 50 feet east of location	
tunnel, on south bank of river, 7 feet above water, on projecting point of cliff; cross marked "2455".	0 456 11
Copper Bell mine, 1.25 miles south of, 2.8 miles northeast of mouth of	2, 400. 11
Prichard Creek, 5 feet above water, south bank of river, on top of large	
rock; cross marked "2438"	2, 438. 32
Prichard Creek, 2 miles northeast of mouth, 1,600 feet west of Whipple's	
cabin, on south bank of river, in root of 18-inch cottonwood tree; nail	
marked "2425".	2, 425. 88
Prichard Creek, 0.8 mile northeast of mouth, on south bank of river, oppo-	
site rocky point, in root of 24-inch twin cottonwood tree; nail marked "2409"	2 400 74
Prichard Creek, 0.9 mile southwest of mouth, on east bank of river, 400 feet	2, 100. 11
northwest of old cabin, opposite burned steep rocky slope, in root of	
12-inch cottonwood tree; nail marked "2387"	2, 387. 56
North Fork of Cœur d'Alene River, east side of, 200 feet north of Delta	
road, at foot of cliff, 7 feet above water; aluminum tablet stamped	
"2370 S". North Fork of Cœur d' Alene River, 30 feet east of, 160 feet north of Delta	2, 372. 469
road, on narrow rock projecting from cliff, 11 feet above water; aluminum	
tablet stamped "2376 S'	2 376 238
Beaver Creek, 3.3 miles west of, on south side of river, 800 feet north of cliff,	2, 010. 200
in root of 30-inch cedar tree; nail marked "2325"	2, 327. 24
Big Jam, 1.6 miles southwest of, on south bank of river, opposite high	
craggy cliff, at edge of burn, in root of 10-inch cedar tree; nail marked	
"2280"	2, 280. 08
Castle Rock, 50 feet east of west end, flat rock sloping toward cliff; highest part; marked "2256".	0 057 61
Steamboat Rock, 200 feet east of, 60 feet from west end of cliff, east side of	2, 207. 01
Steamboat Creek at mouth; aluminum tablet stamped "2248 S"	2, 249, 44
Mouth of Bear Creek via Lake View to Pend Oreille Lake.	
Bear Creek, 0.8 mile north of mouth, 40 feet east of Bear Creek, 10 feet	0.000 44
west of trail, in root of 20-inch spruce tree; nail marked "3098"	5, 099. 46
Bear Creek, 1.25 miles north of mouth, 2 feet west of track, in root of black stump; nail marked "3151".	3 152 78
boump, nam marked ofth	, 102. 10

¹ The closure error in this circuit is excessive.

trail, in root of lone white pine tree 36 inches in diameter; nail marked	
"3280". Bear Creek, 2.3 miles north of mouth, on steep open incline, 20 feet north-	
east of trail, in root of 10-inch black pine tree; nail marked "3575" Bear Creek, 2.5 miles north of mouth, on steep open incline, sloping toward the south, 6 feet west of trail, in root of 24-inch line white pine tree; nail	3, 576. 55
marked "3974" Bear Creek, 2.8 miles north of mouth, on steep open incline, sloping toward south, 25 feet east of trail, in root of 20-inch red fir tree; nail marked	
"4440". Bear Creek, 2.9 miles north of mouth, on steep open incline, sloping toward	4, 441. 53
the south, 20 feet east of trail, in root of 9-inch fir tree; nail marked "4684" Bear Creek, 3 miles north of mouth, on top of first summit on trail between	4, 685. 03
mouth of Bear Creek and Lake View, 3 feet north of trail, in root of 24-inch red fir tree; nail marked "4734"	4, 735. 53
Bear Creek, 3 miles north of mouth, on top of first summit between mouth of Bear Creek and Lake View, 3 feet below apex of rocky point, in flat	
black shale rock; aluminum tablet stamped "4858 S"	4, 859. 519
makes first big drop toward Independence Creek, 5 feet west of trail, in	
root of 9-inch balsam fir tree; nail marked "4838"	4, 839. 75
Creek, 3 feet east of trail, in root of 24-inch tamarack tree; nail marked "4522".	4, 523, 21
Bear Creek, 3.6 miles northwest of mouth, 1.7 miles south of Independence	
Creek, at foot of steep slope, in root of 30-inch fir tree; nail marked "4364". Bear Creek, 4 miles northwest of mouth, 1.5 miles south of Independence Creek, 30 feet west of trail, on west slope of small grassy knoll, in root of	4, 365. 71
balsam fir tree forking in two; nail marked "4320". Bear Creek, 4.25 miles northwest of mouth, 1.25 miles south of Independence Creek, on high bushy knoll, in root of 12-inch white fir tree; nail	4, 321. 39
marked "4515"	4, 516. 27
Creek, on steep brushy incline, sloping toward west, 30 feet southwest of trail, in root of 10-inch hemlock tree; nail marked "4200"	4 201 41
Independence Creek, 0.25 mile south of, on steep wooded incline, sloping down to creek, 6 feet north of trail, in root of 30-inch white pine tree;	4, 201. 41
nail marked "3691"	3, 692. 46
to creek, 20 feet north of trail, in root of 20-inch hemlock tree; nail	
marked "3576"	3, 577. 04
Creek, 5 feet north of trail, 11 miles southeast of Lake View; iron post stamped "3275 S"	2 976 557
Mrs. Loyell's cabin, 0.25 mile west of, 400 feet north of Independence Creek, 6 feet north of trail, on steep open point sloping south, in root of	3, 270. 997
10-inch fir tree; nail marked "3429"	3, 430. 10
Mrs. Lovell's cabin, 0.4 mile west of, 500 feet north of Independence Creek, at beginning of second switchback on trail, in root of 9-inch fir tree; nail	
marked "3645"	3, 646. 61
Independence and Bear Creek trails, 120 feet west of intersection of, on high burned divide, 12 feet north of Lake View trail, in root of 12-inch	
tamarack tree: nail marked "4280"	4, 281. 22

Weber mine, 1.6 miles southeast of, 150 feet south of summit of divide, 0.5 mile north of Independence Creek, 12 feet south of trail, in root of 30-	
inch tamarack tree; nail marked "4908"	
north of trail, in root of 24-inch tamarack tree; nail marked "4983" 4,984.75 Lake View, 6 miles southeast of, 1 mile southeast of Weber mine, at head of	
graded road, on lowest part of divide; iron post stamped "4602 S" 4, 604. 54 Weber mine, 120 feet southwest of entrance, 30 feet northwest of road, in	2
root of large black stump; nail marked "3606"	
west corner of mill; nail marked "3164"	
Lake View, 3.5 miles southeast of, 10 feet west of road, at foot of long hill, in root of black tree; nail marked "2764"	
Lake View, 1.8 miles southeast of, on top of hill, 7 feet east of county road, in root of 9-inch jack pine tree; nail marked "2695"	
Lake View, corner of South Street and Rus Avenue, 1 foot north of south- west corner lot 8, block 6, 75 feet southeast of post-office; iron post	
stamped "2269 S"	4
Pend Oreille Lake, 100 feet south of, 1,500 feet north of Lake View, 50 feet east of North Gold Creek, in root of 36-inch twin cottonwood tree; nail	
marked "2064"	
face; bridge spike	•
water, Sept. 9 and Sept. 12, 1905	
Kellogg, 200 feet southeast of station, 5 feet west of northwest corner of Hotel McKinniss; iron post stamped "2305 S"	0
store, on west side of Mullan Avenue; iron post stamped "2521 S" 2, 521. 87 Wallace, 1 foot north of schoolhouse, 1 foot east of wall, 7 feet south of north-	4
east corner; iron post stamped "2728 S"	6
Osburn via Beaver and Delta to Murray.	
Beaver, 6 feet north of northeast corner of station house, 3 feet east of fence,	
5 feet north of porch; iron post stamped "2785 S"	
post stamped "3321 S"	
corner of printing office; iron post stamped "2772 S"	5
Murray via Eagle and east fork of Eagle Creek to point 4 miles east of Eagle (single spur line).	
Murray, 1.7 miles northwest of, 15 feet south of old flume, 5 feet south of road, in poplar tree; spike	28
Murray, 2.7 miles northwest of, in tree 15 feet east of road; spike 2, 601. 51	8
Eagle, 20 feet north of cabin, 30 feet east of road; iron post stamped "2546 S". 2, 547.08	8
Eagle, 120 feet north or road, 350 feet west of white house, in fir tree; spike. 2, 549.89 Eagle, 1 mile east of, 450 feet southeast of house, south of road, in spruce	
tree; spike	3
tree; spike	3

Delta, Murray, and Little North Fork roads, intersection of, 210 feet east of, 40 feet south of creek at bend in road, in root of pine tree 12 inches in diameter; nail. Halzandorf's ranch, 780 feet north of, forks of roads, east side of road, in root of cedar tree; nail.	
Wallace east along Northern Pacific Railway to Idaho-Montana boundary line.	
Mullan, 15 feet west of station, at corner of sidewalk, at base of Northern Pacific Railway station steps; iron post stamped "3244 S"	
Wallace east via Gem and Burke to Glidden Pass.	
Granite, opposite Granite mill, 10 feet north of Canyon Creek, in root of pine stump; spike	1
Burke, 15 feet north of Northern Pacific Railway track, 15 feet east of house, 17 feet northeast of telegraph pole, 60 feet west of road crossing, 10 feet north of wagon road, 180 feet west of station, in rock at base of cliff; aluminum tablet stamped "3736 S"	3, 736. 657
Burke, in front of station; top of rail. Burke, 1.6 miles northeast of, south of Tiger-Poorman electric station, 18	3, 740. 9
feet north of wagon road, in spruce tree; spike	4, 100. 33
Burke, 3 miles east of, 100 feet north of flume, 1 foot south of road, in root of fir tree 4 inches in diameter; spike.	4, 783. 67
Glidden Pass, 15 feet east of road, summit of Bitterroot Mountains, in white limestone pillar 5 by 5 inches at top, 2.3 feet high, projecting 4 inches above ground; aluminum tablet stamped "5768"	5, 768. 296
Murray east via Raven to Thompson Pass, Idaho-Montana State line.	
Murray, 1 mile east of, 2 feet west of road, in root of pine stump; spike Raven, 100 feet south of old sawmill, at north end of Burke trail, at mouth of Granite Creek, in bowlder 6 inches above ground at base of stump; alumi-	*
num tablet stamped "3060 S". Raven, 1.1 miles east of, 20 feet south of road, in root of pine tree 8 inches in diameter; spike.	
Sullivan, 1 mile east of, 2 feet north of road, 35 feet northeast of blazed tree on south side of road, in sandstone; cross	
Summit of Bitterroot Mountain, 25 feet northeast of road, 25 feet southeast of flume; iron post stamped "4862 S"	
Burke along trail to Raven.	
Burke, 1 mile north of, 2 feet south of trail at switchback, in root of spruce	
tree 5 inches in diameter; spike	4, 632. 70 5, 839. 468
Beaver via Dobson Pass to Wallace.	
Beaver, 2 miles southeast of, 12 feet east of road, in pine tree 1 foot in diameter; spike	3, 502. 23
Beaver, 3 miles southeast of, 6 feet east of road, in spruce tree 2 feet in diameter; spike	
Dobson Pass, 12 feet south of road; iron post stamped "4179 S"	4, 179. 934
tree 1 foot 6 inches in diameter; spike	3, 802.13

Kellogg via county road to Wardner.

Kellogg, 0.7 mile south of, 20 feet southeast of telephone pole, west of road, in cedar stump; nail	
tablet stamped "2880 S"	2, 880. 142
Wardner, Bunker Hill & Sullivan machine shop, 300 feet north of, on rock	
west of road; cross	2, 960. 301
Delta along wagon road and trail down North Fork of Cœur d'Alene River to Kingston.	
Delta, 1 mile northwest of, 150 feet southeast of house, on west side of bend in road, in root of poplar tree; nail	2, 471. 035
Delta, 2 miles northeast of, east side of road, in root of dead fir tree; nail	
North Fork of Cœur d'Alene River, at intersection of road with river, in a	
twin cedar; nail	2, 369. 643
North Fork of Cœur d'Alene River, east side of, 200 feet north of Delta road,	
at foot of cliff, 7 feet above river; aluminum tablet stamped "2370 S"	
Morrison's mine, on rock at entrance; cross	2, 332, 901
Big Jam, 450 feet east of, sunk into a flat rock sloping into river, 3 feet above	
surface, on south side; aluminum tablet stamped "2297 S"	,
Big Jam, 1 mile west of, 1,000 feet southwest of junction of old and northwest	
channel of river, on south side; cross on rock 3 feet above surface of water.	2, 287. 046

Bonners Ferry, Calispell, Pend Oreille, and Sandpoint quadrangles.

BONNER AND KOOTENAL COUNTIES.

The elevations in the following list were determined by a double primary level line from Tacoma and by other primary lines. The list includes descriptions taken from the appendix to the Twentieth Annual Report of the Geological Survey, pages 471 to 474 and pages 521 and 522, inclusive, with readjusted elevations.

The leveling was done in the Sandpoint quadrangle in 1897 by Charles Harlow, jr., in 1898 by W. R. Prowell and H. S. Crowe; in the Pend Oreille quadrangle in 1898 by H. S. Crowe, and in 1903 by G. H. Kendall; in the Calispell quadrangle in 1898 by Prowell; and in the Bonners Ferry quadrangle in 1904 by M. S. Bright, J. G. Hefty, and G. H. Kendall.

SANDPOINT QUADRANGLE.

Granite along Northern Pacific Railway to Sandpoint.	Feet.
Granite, in front of station; top of rail	
Granite, 45 feet west of west edge of station platform, 20 feet south of center	
of track, near telegraph pole; iron post stamped "2262 T"	2, 262, 666
Milepost "W.213, H.33," 19 feet west of, 28 feet west of center of track;	
iron post stamped "2251 T".	2, 251, 252
Cocolalla, in front of section house; base of rail	
Milepost "W.218, H.28," 250 feet northeast of, 18 feet north of railroad,	
southeast of whistling post; iron post stamped "2226 T"	2, 226. 419
Algoma siding; top of east head block	
Milepost "W.224, H.22," 390 feet southeast of, 25 feet south of railroad track,	,
at west end of cut; iron post stamped "2167 T"	2, 167, 277
Sandpoint, in front of station: top of rail.	

Sandpoint, 83 feet southwest of Northern Pacific station, 6 feet north of Butler & Culver warehouse, west side of street, at edge of sidewalk, 62 feet west of main track; iron post stamped "2087 T," restamped "2085" when reset	2, 117. 498
Albane Falls east and north along Great Northern Railway to 3 miles northeast of Colburn.	
Priest River, in front of station; top of rail	2, 082. 394
from house; iron post stamped "2087 P. R.". Colburn, 1.2 miles north of section house, northwest corner of T. 58 N., R. 1 W., 1,700 feet northwest of railway track; iron post stamped "2127 P. R."	
Elmira siding to corner of Tps. 59 and 60 N., Rs. 1 and 2 W.	
Elmira, 3.2 miles west of, northwest corner of T. 59 N., R. 1 W.; aluminum tablet stamped "4031 P. R.".	4, 037. 680
Cary Ferry south and west to Medler Lake.	
 T. 55 N., R. 4 W., sec. 33, 100 feet from Vogler's house, at north gatepost; iron post stamped "2222 P. R." T. 54 N., Rs. 4 and 5 W., quarter corner between secs. 24 and 19, 900 feet south of road; iron post stamped "2286 P. R." 	
Priest River northwest along road up West Branch.	
Terrells Falls, near east side of sec. 16, T. 57 N., R. 5 W., at east end of bridge across West Branch of Priest River, just below falls, about 600 feet east of Terrell's house; iron post stamped "2289 P. R." T. 58 N., R. 5 W., SW. ½ sec. 27, at lower end of S. H. Moor's ranch, at west side and north end of bridge across small stream, about 400 feet from section corner; iron post stamped "2411 P. R." Priest River north along road to Priest Lake.	
Tps. 56 and 57 N., R. 4 W., on line between, 5 yards west of road; iron	
post stamped "2371" Tps. 57 and 58 N., R. 4 W., on line between, 5 yards west of road; iron post stamped "2405". Tps. 58 and 59 N., R. 4 W., on line between, 4 yards west of road; iron post stamped "2543". Coolin, northwest of northwest corner of fence, 15 yards from edge of lake; iron post stamped "2442". Priest Lake; surface of water, September, 1898. Coolin, Aug. 29, 1905. Coolin, 200 yards south of, triangulation station; iron post	2, 410. 730 2, 548. 002 2, 447. 102 2, 439. 4 2, 438. 9
Coolin to corner of Tps. 59 and 60 N., Rs. 4 and 5 W.	
Coolin, 2.5 miles northwest of, northwest corner of T. 59 N., R. 4 W., in rock; aluminum tablet stamped "2760"	2, 765. 854

Coolin to corner of Tps. 59 and 60 N., Rs. 3 and 4 W.

Coolin to corner of Tps. 59 and 60 N., Rs. 5 and 4 W.	
Coolin, 3.8 miles northeast of, northwest corner of T. 59 N., R. 3 W., in rock; aluminum tablet stamped "3852 P. R."	
Priest Lake road east to southwest corner of T. 58 N., R. 3 W.	
T. 58 N., R. 3 W., southwest corner of, in rock; aluminum tablet stamped "3491 P. R."	, 496. 5 81
Spur line from Northern Pacific Railway to northwest corner of T. 56 N., R. 1 W.	
T. 56 N., R. 1 W., northwest corner of, 5.5 miles from Sandpoint and 1.8 miles east of Northern Pacific Railway track; iron post stamped "3376"	, 381. 801
Spur line from Northern Pacific Railway to northwest corner of T. 54 N., R. 2 W.	
T. 54 N., R. 2 W., northwest corner of, 0.6 mile east of Northern Pacific Railway track; iron post stamped "2289"	, 294. 004
PEND OREILLE QUADRANGLE.	
Sandpoint along Northern Pacific Railway to Idaho-Montana boundary line.	
Kootenai, 60 feet north of post office door; iron post stamped "2117 T" 2. Oden siding; top of east head block	2, 075. 2 2, 078. 951 2, 078. 2 2, 079. 692 2, 102. 546 2, 081. 141 2, 062. 5 2, 100. 403 2, 186. 4
Elmira, 1 mile north of, 50 feet east of track, 30 feet southeast of road	
crossing; iron post	, 148. 539
·BONNERS FERRY QUADRANGLE.	
Point near McCarthy siding north along Great Northern Railway to Bonners Ferry.	
Milepost 1383, 135 feet south of, 40 feet southeast of track, in slope; iron post. 2, Naples, 1,000 feet south of station, opposite milepost 1380, 65 feet east of track, 700 feet south of water tank; iron post. 2. Naples, in northeast corner of northeast foundation stone under water tank; cross. 2. Bridge 211, 1,000 feet north of, 300 feet northwest of cut, 120 feet west of	, 018. 337
track, at first telegraph pole south of milepost 1377; iron post	, 955. 481
Moravia, in front of station sign; top of west rail.	, 834. 911 , 849. 1 , 763. 9

Bonners Ferry, 2.5 miles southwest of, opposite milepost 1371, 60 feet west	Feet.
of track, on east shore of Mirror Lake; iron post	1,766.663
	1, 110.0
Bonners Ferry via Kootenai Valley Railway to international boundary line.	
Bonners Ferry, 0.5 mile east of, 30 feet northeast of railroad track where it enters a cut, south corner of town lot 18, block 1, near residence of Benj.	
Morrow; iron post	1, 786, 594
Bonners Ferry, near Kootenai River, under bridge; surface of water, Mar.	
Bonners Ferry, 2.4 miles north of, at edge of right of way, 30 feet east of	1, 748
track, at north edge of small cleared flat at mouth of draw on sharp curve of track; iron post	1 792 204
Bonners Ferry, 6 miles north of, 30 feet east of track, 150 feet north of	1, 102.201
Wrider's cabin, at fence; iron post	1,789.242
Bonners Ferry, 9 miles north of Empy's house, at road crossing, 30 feet east	
of track, at edge of wagon road and at foot of rocky bank; iron post	1,788.097
Copeland, 5 miles south of, McRay's ranch, in front of house, 20 feet east of	
track, 50 feet north of small creek; iron post	1, 789. 484
track; iron post	1 700 751
Copeland, 450 feet north of Cole's store, 40 feet east of track; iron post	1,733.731
Port Hill, 2.8 miles south of, on bank 30 feet east of track, 170 feet north	
of trestle 10; iron post	
Port Hill, in front of station; top of rail.	1,781.7
Port Hill, international boundary line, 4 feet west of original stone monument marking boundary, 60 feet east of railroad, east of Kootenai River;	
iron post	1, 797. 277
CALISPELL QUADRANGLE.	
Newport south to Medler Lake.	
Newport, Washington-Idaho State line, corner of zecs. 24 and 25, T. 56 N.,	

Newport, Washington-Idaho State line, corner of secs. 24 and 25, T. 56 N.,	
R. 6 W.; iron post stamped "2128 P. R."	133. 281
T. 54 N., R. 5 W., northwest corner of; iron post stamped "2326 P. R." 2,	331. 843

Priest Lake quadrangle.

KOOTENAI COUNTY.

The following elevations are based on that of an iron post stamped "2442" near the edge of Priest Lake at Coolin, the accepted elevation of which is 2,447.102 feet. Water leveling was used in determining elevations at other points on the lake, and from these only single spur primary level lines were run and the elevations are therefore unchecked. The Coolin elevation is determined in part through primary circuits and in part by a single spur line in the Sandpoint quadrangle from the double line from Tacoma, as published on page 521 of the appendix to the Twentieth Annual Report of the Geological Survey. The leveling was done in 1905 by A. L. Glover.

PRIEST LAKE QUADRANGLE.

Bench marks near Reeder Creek and Bear Creek.	P
Priest Lake; surface of water, August 31, 1905	
iron post stamped "2468" Bear Creek Bay, south side of, opposite mouth of Granite Creek, about halfway to end of point from mouth of Bear Creek, on east side of lake, at old camp, 50 feet south of water's edge, about middle of small sandy stretch of beach rocky at both ends, 10 feet north of blazed and marked 24-inch pine tree; iron post stamped "2447".	
Thoroughfare (watercourse between Lower and Upper Priest lakes) north along Continental mine trail to Continental mine.	
Thoroughfare, on east bank, at south end, 200 feet from water opposite entrance, between two large blazed tamarack trees about 18 inches in diameter, one of which has top broken off—the only large trees on the end	
of bar—10 feet from each tree; iron post stamped "2447"	2, 447. 107
Thoroughfare, 0.7 mile from south end of, on east bank, 15 feet from water, in root of 18-inch blazed tamarack tree; spike marked "2447"	2, 447. 08
Thoroughfare, 1.3 miles from south end of, north side of Caribou Creek, on end of point between entrance of Caribou Creek into Thoroughfare, 30	
feet east of Thoroughfare, 15 feet north of water's edge in Caribou Creek, in root of 10-inch pine tree; spike marked "2450"	2, 450. 01
Thoroughfare, 2 miles from south end of, 40 feet west of water's edge, at foot of 30-inch cedar tree, in small stump 3 inches high and 4 inches in	
diameter, near tree blazed and marked "2455"; spike	2, 455. 41
Thoroughfare, north end of, at south end of upper lake, 8 feet east of blazed and marked spruce tree 18 inches in diameter, 50 feet north of 24-inch	
blazed pine tree, 75 feet east of water's edge, 20 feet east of edge of sand beach, 150 feet northeast of end of sand point; iron post stamped "2447".	9 447 004
Upper Priest Lake; surface of water September 2, 1905	2, 438. 95
Upper Priest Lake, at north end on east side, where the Continental mine trail reaches the shore of the lake, 50 feet east of water, 5 feet west of	
trail, 15 feet east of 10-inch cottonwood tree blazed and marked "2447";	
iron post stamped "2447". Continental mine, 10.3 miles south of, 1 foot east of trail, near dead 48-inch	
cedar tree, in stump; nail marked "2454"	2, 453. 68
cedar tree; spike marked "2489". Continental mine, 9.4 miles south of, 10 feet west of trail, in root of 18-inch	2, 488. 78
cedar tree; nail marked "2512". Continental mine, 8.9 miles south of, 12 feet east of trail, in root of 24-inch	2, 511. 81
hemlock tree; nail marked "2487"	2, 487. 22
Continental mine, 8.2 miles south of, 20 feet east of trail, in root of dead 12-inch stump 30 feet high; nail marked "2594"	2, 594. 30
Continental mine, 7.8 miles south of, 4 feet west of trail, in root of 24-inch cedar tree; nail marked "2620"	

•	
Continental mine, 7.4 miles south of, 3 feet east of trail, in root of 30-inch	
hemlock tree; nail marked "2638"	2, 638. 27
cedar tree; nail marked "2664"	2, 664, 31
Continental mine, 6.5 miles south of, 4 feet west of trail, in root of 12-inch	_,
hemlock tree; nail marked "2676". Continental mine, 5.8 miles south of, 4 feet east of trail, in root of 36-inch	2, 676. 34
Continental mine, 5.8 miles south of, 4 feet east of trail, in root of 36-inch	
cedar tree; nail marked "2705"	2, 704. 82
Continental mine, 5.1 miles south of, short distance east of mouth of Cedar	
Creek, 1 foot above and 2 feet east of trail to Continental mine, 10 feet northwest of blazed and marked 18-inch cedar tree 4 feet west of trail, on	
top of small hill over the end of which the trail passes, in 3 foot granite	
rock; aluminum tablet stamped "2736"	2, 735. 990
Continental mine, 4.8 miles south of, west edge of trail, in root of 18-inch	
hemlock tree; nail marked "2873"	2, 872. 84
Continental mine, 4.4 miles south of, 6 feet east of trail, in root of 30-inch	0.010.15
cedar tree; nail marked "2913"	2, 913. 15
hemlock tree; nail marked "2950"	
Continental mine, 3.7 miles south of, 15 feet southeast of trail, about 200	2,000.11
yards south of first cabin on Cedar Creek where trail crosses, in root of 42-	
inch hemlock tree; nail marked "3079"	3,079.23
Continental mine, 3.4 miles south of; surface of water in Cedar Creek at trail	
crossing, September 17, 1905; elevation marked on 24-inch cedar log across stream 4 feet above water, 30 feet northeast of trail crossing and 75	
feet south of cabin	3 089 7
Continental mine, 3.4 miles south of, 100 feet north of creek, 15 feet west of	0, 000. 1
northwest corner of cabin at trail crossing Cedar Creek, 1 foot east of trail,	
in root of 48-inch cedar tree; nail marked "3115"	3, 114. 77
Continental mine, 3 miles south of, 2 feet south of second cabin on trail, 7	
feet east of southeast corner of house, side of house marked "3381";	0 001 00
marked point on rock	3, 381. 22
point crossed by trail, above second cabin on trail, in root of 4-inch birch	
tree; nail marked "3705"	3, 705. 44
Continental mine, 2.2 miles south of, 10 feet north of trail, 50 feet northwest	
of small creek just before reaching Cedar Creek, where trail crosses at	
lowest place trail strikes, in root of 30-inch cedar tree; nail marked	2 000 07
"3693"	3, 094. 81
south of trail, 2 feet southeast of stream 1 foot wide, 100 feet south of large	
stream, both crossed by trail which then runs parallel to Cedar Creek, in	
root of 48-inch hemlock tree; nail marked "3920"	3, 919. 59
Continental mine, 1.77 miles south of, on trail, 1,000 feet south third cabin	
up trail, near 12-inch hemlock tree 5 feet north of trail, in a 5-foot granite rock 2 feet above ground; aluminum tablet stamped "3932"	0 000 005
Continental mine, 1.6 miles south of, east edge of trail, near 24-inch dead	5, 952. 005
burnt fir tree marked "4058," 400 feet south of cabin; marked point on	
rock	4, 058. 07
Continental mine, 1.5 miles south of, at southeast corner of cabin, in log,	
nail; marked on cabin "4176	4, 175. 66
Continental mine, 1.1 miles south of, 2 feet east of trail, near point where	4 779 19
trail crosses gulch below Dark Horse mine; point on rock marked "4773".	4, 773. 12

PRIMARY LEVELING.

Continental mine, 0.8 mile south of, 5 feet east of trail, 6 feet north and 50	
feet south of point where trail crosses second draw below Dark Horse	Feet.
mine; point on rock marked "4989"	4, 989. 18
Continental mine, 0.7 mile south of, 12 feet east of trail; point on rock	
marked "5167"	5, 166. 92
Continental mine, 400 feet south of shaft house, on outcropping rock above	
rock pile above slide; marked point on rock	5, 774. 26
Continental mine, 400 feet east of shaft house, near top of mound in center	
of upper saddle in ridge between Cedar Creek and Blue Joe Creek, stump	
12 inches in diameter blazed and marked on all four sides; nail marked	
"5850"	5,850
Continental mine, 6 feet north of trail from Continental boarding house to	
Continental shaft house, at top of ridge between Cedar Creek and Blue	
Joe Creek, in solid rock outcrop; aluminum tablet stamped "5890"	5, 890. 001



INDEX.

A.	D	D.	
Alexander	Page.		Page.
Alexander		Delta	. 37
Algoma	37	Diamond Springs	. 9
Anderson, A. P., work of	23	Dingle	
Athol	24	Dobson Pass	36
		Doniphan	21
В.		Douglas, E. M., work of	
Baldwin, D. H., work of	5	Drummond, Goyne, work of	15
Bancroft	17		
Bangs	23	E.	
		Eagle	35
Bannock County	16	Eaton	
Bear Lake County	16	Elmira	
Beaver		Evergreen	
Bellgrove	20-27		10
Bench marks		F.	
plate showing	5	Fremont County	15
Biggs, L. F., work of	17	Fry, E. M., work of.	
Big Jam	33,37		
Big Meadows	31	G.	
Big Pool	32-33	Galena	22
Bingham County	15	Gannett, S. S., work of	5
Birch Creek quadrangle	7-8	Gem	
Blaine County	20	Genesee	
Boise County		Geneva	19
Pappar County	8	Gerdine, T. G., work of	5
Bonner County	37	Gilman	
Bonners Ferry	40	Gimlet	21
Bonners Ferry quadrangle			20
Border	19	Glenwood	28
Bright, M. S., work of	37	Glidden Pass	36
Bumble Bee	28	Glover, A. L., work of	40-43
Burke	36	Goode, R. U., work of	5
		Granite, Bonner County	37
C.		Granite, Shoshone County	36
Cabinet	39	Great Northern Ry 38	39-40
Calispell quadrangle	40		
Cambridge	10	Н. ,	
Cambridge quadrangle		Hailey Hot Springs	20
Canyon County	7	Hailey quadrangle	20-21
Cataldo	1	Harer	19
Cataldo quadrangle	27	Harlow, Charles, jr., work of	37
		Harrison	26
Chatcolet Station quadrangle,	23	Hatch, S. M., work of.	23
Clark Fork	39	Hauser Junction	
Cocolalla	37	Hefty, J. G., work of	8, 37
Cœur d'Alene 24, 25,	26, 27	Hope.	39
Cœur d'Alene special quadrangle	27-37	Hot Springs, Bear Lake County	
Colburn	38	Hot Springs, Washington County	
Cold Springs Mill	20		13
Coolin	38-39	Huntington, Oreg	7
Copeland	40	I.	
Council	10,11	Indian Valley	14
Crawford	14	indian vancy	1.4
Crowe, H. S., work of		J.	
Crystal		Iones W R work of	8

INDEX.

K. Pag	e.	1	Page.
Kellogg 35, 3	37	Picabo quadrangle	21
Kendall, G. H., work of	37	Pocatello quadrangle	17
Kendrick quadrangle 22-2	23	Port Hill	40
Ketchum 20-21, 2	22	Post Falls	24,27
	28	Priest Lake quadrangle	40-43
	39	Priest River	38
Kootenai County 22, 23, 37, 4		Prowell, W. R., work of	37
		Pullman quadrangle	22
. L.			
Lake View	35	R.	
	26	Ramsey	23,26
	12	Rathdrum	24.27
Latah County	22	Rathdrum quadrangle	
	17	Raven	36
4	26	Raymond	19
	36	Rim Rock	25
	23	Rose	18
		Roseberry	
M.			10 11
McCammon	17	S.	
	18	St. Anthony	16
	38	St. Anthony quadrangle	16
Marshall, R. B., work of	5	St. Charles	20
Maxwell, D. A., work of	8	Sandpoint	
Meadows 12-		Sandpoint quadrangle	
Meadows quadrangle	1	Sawtooth quadrangle	
	27	-	
		Searle, A. B., work of	7
Midvale		Semper, C. H., work of	26
Montpelier		Sheep Springs	
Montpelier quadrangle 18-		Shoshone County	23
	39	Smoky district	
	22	Soda Springs	18
	36	Soda Springs quadrangle	
Murray	36	Soldier quadrangle	
N.		Starkey	13
Naples	39	Sullivan	36
	40	T.	
*	19	Terrells Falls	38
Northern Pacific Ry 23–24, 36, 37, 38,		Teton Bridge	
	23	Thornton	
		Three Pine Springs	26
Novene	18	Topaz	-
0.		Topographic maps	
Oden	39	Turnpike	
	7-8		10
	12	V.	
	17	Van Wyck 10-11	. 14. 15
Oregon Short Line R. R 7-8, 17-19,	20	Victor	
Oregon-Washington R. R. & Navigation Co. 26,		Victor quadrangle	
	35		
	20	W.	
		Wallace	35
· P.		Wardner	37
Pacific & Idaho Northern Ry 8-9, 10,	11	Washburn, F. E., work of	
	23	Washington County	
	20	Way	
Payette	.8	Wayan quadrangle	
·	17	Weiser	
	19	Weiser quadrangle	
	39	Woley's	
	18	Wolf Lodge	















